

Arizona Department of Water Resources

Phoenix Active Management Area

Low-Water-Use/Drought-Tolerant Plant List

**Low-Water-Use/
Drought-Tolerant
Plant List**



Official Regulatory List for the Phoenix Active Management Area
Fourth Management Plan

Arizona Department of Water Resources
1110 West Washington St. Ste. 310
Phoenix, AZ 85007
www.azwater.gov
602-771-8585



Acknowledgements

The Phoenix AMA list was prepared in 2004 by the Arizona Department of Water Resources (ADWR) in cooperation with the Landscape Technical Advisory Committee of the Arizona Municipal Water Users Association, comprised of experts from the Desert Botanical Garden, the Arizona Department of Transportation and various municipal, nursery and landscape specialists. ADWR extends its gratitude to the following members of the Plant List Advisory Committee for their generous contribution of time and expertise:

| | |
|--|---|
| Rita Jo Anthony, Wild Seed | Judy Mielke, Logan Simpson Design |
| John Augustine, Desert Tree Farm | Terry Mikel, U of A Cooperative Extension |
| Robyn Baker, City of Scottsdale | Jo Miller, City of Glendale |
| Louisa Ballard, ASU Arboritum | Ron Moody, Dixileta Gardens |
| Mike Barry, City of Chandler | Ed Mulrean, Arid Zone Trees |
| Richard Bond, City of Tempe | Kent Newland, City of Phoenix |
| Donna Difrancesco, City of Mesa | Steve Priebe, City of Phoenix |
| Joe Ewan, Arizona State University | Janet Rademacher, Mountain States Nursery |
| Judy Gausman, AZ Landscape Contractors Assn. | Rick Templeton, City of Phoenix |
| Glenn Fahringer, Earth Care | Cathy Rymer, Town of Gilbert |
| Cheryl Goar, Arizona Nurssery Assn. | Jeff Sargent, City of Peoria |
| Mary Irish, Garden writer | Mark Schalliol, ADOT |
| Matt Johnson, U of A Desert Legum | Christy Ten Eyck, Ten Eyck Landscape Architects |
| Jeff Lee, City of Mesa | Gordon Wahl, ADWR |
| Kirti Mathura, Desert Botanical Garden | Karen Young, Town of Gilbert |

Cover Photo: Blooming Teddy bear cholla (*Cylindropuntia bigelovii*) at Organ Pipe Cactus National Monument. Image retrieved from the National Park Service website:

<https://www.nps.gov/media/photo/view.htm?id=0123ADD6-155D-451F-67E3552B12E3E3A5>.

A Resource for Regulated Water Users

The use of low-water-use/drought-tolerant plants is required in public rights-of-way and in other instances as described in the Fourth Management Plan¹ (4MP). The Low-Water-Use/Drought-Tolerant Plant List was developed to assist regulated water users in selecting landscaping plants that meet these requirements. Following are the sections in the 4MP of the Phoenix Active Management Area (PhxAMA) in which the list is referenced:

- Section 5-601(4) and (46) Definitions, Low Water Use/Drought Tolerant Plant List for the PhxAMA and Water-intensive landscaped area
- Section 5-610(A)(3), Individual User Requirements for Municipal Providers and Individual Users, requirements for public rights-of way
- Section 6.3.1, All Industrial User Program Description
- Section 6.3.2.2, Additional Conservation Requirements for turf-related facilities
- Section 6-601(6), Definitions, Low Water Use/Drought Tolerant Plant List for the PhxAMA
- Section 6-602(4) and (5), Conservation Requirements
- Section 6-603(A)(6), Monitoring and Reporting Requirements
- Section 6-701(13) and (25), Definitions, Low water use landscaped area and Turf acres
- Section 6-702(C)(2), Conservation Requirements for Turf-Related Facilities
- Section 6-707 (B)(1), Allotment Additions, Revegetation Addition
- Section 6-1301(5)(a), Definitions, Water-intensive landscaped area
- Section 6-1303(3), Monitoring and Reporting Requirements

A Resource for Communities, Residents and Businesses

The Low-Water-Use/Drought-Tolerant Plant List is a resource for communities, residents and businesses that are interested in conserving water through low-water-use landscaping. Plants on the Phoenix AMA list can be grown in the Phoenix area with very low to moderate supplemental irrigation once they are established. Supplemental irrigation should be of sufficient quantity to saturate the plant's root zone. All plants listed can grow with less water than traditional high-water-use landscape plants.

¹ The 1980 Groundwater Code requires the preparation of a series of water management plans for each AMA that includes mandatory conservation programs. The PhxAMA 4MP was Adopted in 2020.

Request to Waive the Requirement

Pursuant to the PhxAMA 4MP sections 5-610(A)(3) and 6-602(5), the ADWR Director may waive the requirement to use plants on the Low-Water-Use/Drought-Tolerant Plant List if the water user demonstrates to the satisfaction of the Director that the plants on the list cannot grow in a publicly owned right-of-way because of high elevation or low light conditions, such as a freeway underpass. Those who wish to request a **waiver** of the list should submit their request in writing or by email to the ADWR Director including the following information:

1. Description of the location of the publicly owned right-of-way
2. Map showing the location of the right-of-way and the place where plants will be located
3. Botanical and common name of the plant under consideration
4. Description of plant's water needs, including references

Additionally, anyone wishing to add, delete or **modify** information on the list is encouraged to submit their request to the ADWR Director in writing or email.

Waiver and **modification** requests can be sent to:

Kyle Miller, AMA Director
Arizona Department of Water Resources
1110 W. Washington St, Suite 310
Phoenix, AZ 85007
kmiller@azwater.gov

Definitions and Key to Symbols

Plants in **bold** are from the official regulatory list for the Phoenix Active Management Area (PHX List). The additional plants (not in bold) are either from the *Phoenix Supplemental Information List (Suppl. List)* or from the *Landscape Plants for the Arizona Desert* booklet (Plants Book) developed by the Arizona Municipal Water Users Association (AMWUA), or from both sources. The *Suppl. List* includes plant names only. Additional descriptive information is included in the Plants Book. Botanical names have been updated when appropriate.

The *Suppl. List* was developed in 1999 as an informational appendix to the regulatory Phoenix AMA Low-Water-Use/Drought-Tolerant Plant List. The *Suppl. List* contains a listing of species which are considered representatives of the genera listed in the Low-Water-Use/Drought-Tolerant Plant List. The *Suppl. List* is only an informational tool and is not intended to limit the use of any species or cultivars within a genus. The list was compiled by ADWR in cooperation with the AMWUA Landscape Technical Advisory Committee.

The Plants Book is a guide to growing more than 200 low-water-use plants that are listed in and comply with the ADWR's Low-Water-Use/Drought-Tolerant Plant List for the Phoenix AMA. The Plants Book was developed by the AMWUA Regional Water Conservation Committee with technical assistance provided by landscape professionals in 2004.

Relative Water Use (H₂O Use):

Most plants require regular irrigation during the first 2- to 3-year establishment period. Plants should be watered to their root depth. Mature trees should be watered to a depth of 24" to 36"; Shrubs – 18" to 24"; Groundcovers and Vines – 8" to 12". Winter growers will require less frequent irrigation due to cooler temperatures. 0.62 gallons of water is equivalent to one inch of precipitation on one square foot of soil. All the plants on the Low-Water-Use/Drought-Tolerant Plant List use low water amounts. The numbers indicate **relative** water use:

- 1 = very low, relative to the other low-water-use plants on the list.**
- 2 = low, relative to the other low-water-use plants on the list.**
- 3 = moderate, relative to the other low-water-use plants on the list.**

Plant Type (PT):

An = Annual

C/S/Ac = Cactus/Succulent/Accent plant

Gc = Groundcover

Gr = Grass

P = Perennial

Sh = Shrub

T = Tree

V = Vine

Plants are placed in the growth form categories where they are most often used. This does not preclude the use of any plant in another growth form.

Flower Color: dominant colors seen on the blossoms.

Evergreen, Semi-evergreen or Deciduous: E, SE or D

Bloom Season: time of year that the plant will bloom.

Cold Tolerance (Cold Tol): the lowest temperature in degrees Fahrenheit that the plant is known to tolerate before suffering serious injury or death. Hardiness can vary with a plant's age, health, location and how long the temperature remains below freezing.

Origin: the location/s that the plant originated in and is native/endemic to.

Height (Ht) & Width (Wt): average size of a mature plant in normal landscape conditions, unless noted, height and width are in feet.

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| TREES | | | | | | | | | | |
|----------------------|---|-----------------------------|----|----|---------------|-----------------------|------------|----------|--------------------------------|----------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Acacia</i> spp. | Acacia, Wattle | | | | | | | | |
| | <i>Acacia abyssinica</i> | Abyssinian Acacia | | | | | | | | |
| | <i>Acacia aneura</i> | Mulga | | | | | | | | |
| 2 | <i>Acacia berlandieri</i> | Guajillo | 15 | 15 | Cream | Spring | SE | 15 | Southern Texas and Mexico | Listed as a shrub in Suppl. List |
| 1 | <i>Acacia constricta</i> | White Thorn Acacia | 10 | 15 | Yellow | Spring to summer | SE | 5 | Sonoran and Chihuahuan Deserts | Listed as a shrub in Suppl. List |
| | <i>Acacia cornifolia</i> | Wirewood | | | | | | | | |
| 1 | <i>Acacia crasspedocarpa</i> | Leather-Leaf Acacia | 10 | 8 | Yellow | Spring to summer | E | 20 | Australia | Listed as a shrub in Suppl. List |
| | <i>Acacia erioloba</i> | Camel Thorn | | | | | | | | |
| 2 | <i>Acacia farnesiana</i> (<i>Acacia smallii</i> , <i>A. minuta</i>) | Sweet Acacia | 20 | 20 | Golden yellow | Late winter to spring | E | 10 | Southern US into South America | |
| | <i>Acacia greggii</i> | Catclaw Acacia | | | | | | | | |
| 1 | <i>Acacia rigidula</i> | Blackbrush Acacia | 12 | 12 | Light yellow | Spring | E | 20 | Chihuahuan Desert | Listed as a shrub in Suppl. List |
| 2 | <i>Acacia salicina</i> | Willow Acacia | 30 | 15 | Cream | Spring | E | 20 | Australia | |
| | <i>Acacia schaffneri</i> | Twisted Acacia | | | | | | | | |
| 1 | <i>Acacia stenophylla</i> | Shoestring Acacia | 30 | 20 | Cream | Fall to winter | E | 18 | Australia | |
| 1 | <i>Acacia willardiana</i> | Palo Blanco | 20 | 10 | Cream | Spring | SE | 25 | Southern Sonoran Desert | |
| 2 | <i>Bauhinia lunarioides</i> (<i>Bauhinia congesta</i>) | Anacacho Orchid Tree | 8 | 6 | White or pink | Spring to summer | SE | 15 | Chihuahuan Desert | |
| | <i>Bauhinia mexicana</i> | Orchid Tree | | | | | | | | |
| | <i>Brachychiton populneus</i> | Bottle Tree | | | | | | | | |
| | <i>Brahea</i> spp. | Fan Palm | | | | | | | | |
| 2 | <i>Brahea armata</i> | Mexican Blue Palm | 15 | 8 | Cream | Summer | E | 15 | Baja California | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| TREES | | | | | | | | | | |
|----------------------|--|--|----|----|--------------|------------------|------------|----------|--------------------------|-----------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Brahea edulis</i> | Guadalupe Palm | | | | | | | | |
| | <i>Bursera</i> spp. | Elephant Tree | | | | | | | | |
| | <i>Bursera hindsiiana</i> | Copal | | | | | | | | |
| | <i>Bursera microphylla</i> | Elephant Tree | | | | | | | | |
| | <i>Butia capitata</i> | Jelly Palm | | | | | | | | |
| | <i>Caesalpinia</i> spp. | Bird-of-Paradise | | | | | | | | Listed as shrub in PHX List |
| 2 | <i>Caesalpinia cacalaco</i> | Cascalote | 15 | 15 | Yellow | Winter to Spring | E | 20 | Mexico | |
| | <i>Callistemon</i> spp. | Bottlebrush | | | | | | | | |
| | <i>Canotia holacantha</i> | Crucifixion Thorn | | | | | | | | |
| | <i>Castela emoryi</i> (<i>Holacantha emoryi</i>) | Crucifixion Thorn | | | | | | | | |
| | <i>Casuarina</i> spp. | Beefwood | | | | | | | | |
| | <i>Casuarina cunninghamiana</i> | River She Oak | | | | | | | | |
| | <i>Casuarina equisetifolia</i> | Horsetail Tree | | | | | | | | |
| | <i>Casuarina stricta</i> | Coast Beefwood | | | | | | | | |
| 3 | <i>Ceiba speciosa</i> (<i>Chorisia speciosa</i>) | Silk Floss Tree | 30 | 25 | Pink to red | Fall | D | 26 | Brazil and Argentina | |
| 3 | <i>Celtis reticulata</i> | Canyon Hackberry | 25 | 25 | Green | Spring | D | 0 | Western US | |
| | <i>Ceratonia siliqua</i> | St. John's Bread Tree, Carob Tree | | | | | | | | |
| | <i>Cercis canadensis</i> var. <i>mexicana</i> | Mexican Redbud | | | | | | | | |
| | <i>Cercis canadensis</i> var. <i>texensis</i> | Texas Redbud | | | | | | | | |
| 3 | <i>Chamaerops humilis</i> | Mediterranean Fan Palm | 10 | 10 | Cream | Summer | E | 10 | Mediterranean and Africa | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| TREES | | | | | | | | | | |
|----------------------|---|---------------------------------|----|----|---------------------|-----------------------------|------------|----------|--|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE or D | Cold Tol | Origin | Comments |
| 2 | <i>Chilopsis linearis</i> | Desert Willow | 25 | 20 | White, pink, purple | Spring to fall | D | 0 | Southwest US and Mexico | |
| | <i>Chitalpa tashkentensis</i> | Chitalpa | | | | | | | | |
| | <i>Cupressus arizonica</i> | Arizona Cypress | | | | | | | | |
| | <i>Cupressus sempervirens</i> | Italian Cypress | | | | | | | | |
| 3 | <i>Dalbergia sissoo</i> | Indian Rosewood, Sissoo Tree | 40 | 30 | Cream | Spring | SE | 25 | India | |
| | <i>Ebenopsis spp.</i> <i>(Pithecellobium spp.)</i> | Ebony | | | | | | | | |
| 1 | <i>Ebenopsis ebano</i> <i>(Pithecellobium flexicaulle)</i> | Texas Ebony | 20 | 15 | Cream to yellow | Late spring to early summer | E | 20 | South Texas and Mexico | |
| | <i>Eucalyptus spp.</i> | Eucalyptus | | | | | | | | |
| 1 | <i>Eucalyptus erythrocorys</i> | Red-cap Gum | 25 | 15 | Red then yellow | Summer | E | 24 | Australia | |
| | <i>Eucalyptus formani</i> | Forman's Eucalyptus | | | | | | | | |
| | <i>Eucalyptus leucoxylon</i> | White Ironbark | | | | | | | | |
| 1 | <i>Eucalyptus microtheca</i> | Coolibah | 35 | 25 | Cream | Summer | E | 10 | Australia | |
| | <i>Eucalyptus papulnea</i> | Ghost Gum | | | | | | | | |
| | <i>Eucalyptus populnea</i> | Poplar-leaf Eucalyptus | | | | | | | | |
| | <i>Eucalyptus spathulata</i> | Narrow-leaf Gimlet | | | | | | | | |
| | <i>Eucalyptus torquata</i> | Coral Gum | | | | | | | | |
| 2 | <i>Eysenhardtia orthocarpa</i> | Kidneywood | 15 | 10 | White | Summer | SE | 15 | Southern Arizona and northwestern Mexico | |
| | <i>Geijera parviflora</i> | Australian-willow | | | | | | | | |
| | <i>Gleditsia triacanthos</i> | Honey Locust, Crucifixion Thorn | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| TREES | | | | | | | | | | |
|----------------------|---|---------------------------------------|----|----|----------------|-----------------------------|------------|----------|----------------------------------|---|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE or D | Cold Tol | Origin | Comments |
| 2 | <i>Havardia mexicana</i> (<i>Pithecellobium mexicanum</i>) | Mexican Ebony, Palo Chino | 30 | 20 | Cream | Spring | D | 15 | Northwestern Mexico | Mex ebony in Plants Book; Palo chino in Suppl. List |
| 2 | <i>Havardia pallens</i> (<i>Pithecellobium pallens</i>) | Tenaza, Ape's Earring | 25 | 12 | Cream | Summer | SE | 10 | South Texas and northeast Mexico | Tenaza in Plants Book; Ape's earring in Suppl. List |
| | <i>Leucaena retusa</i> | Golden Ball Lead Tree | | | | | | | | |
| | <i>Lysiloma spp.</i> | Desert-fern | | | | | | | | |
| | <i>Lysiloma candida</i> | Palo Blanco | | | | | | | | |
| 2 | <i>Lysiloma microphylla</i> | Feather Bush | 15 | 15 | Cream | Late spring to early summer | SE | 25 | Arizona and northwestern Mexico | |
| | <i>Lysiloma microphylla</i> var. <i>thornberi</i> | Desert Fern | | | | | | | | |
| 2 | <i>Olea europaea</i> | Fruitless Olive, Fruitless Olive Tree | 25 | 25 | cream | spring | | | | Mediterranean |
| 1 | <i>Olneya tesota</i> | Ironwood | 25 | 25 | Dusty lavender | Late spring | E | 20 | Sonoran Desert | |
| | <i>Parkinsonia spp.</i> (<i>Cerdidium spp.</i>) | Palo Verde | | | | | | | | |
| | <i>Parkinsonia aculeata</i> | Mexican Palo Verde, Jerusalem Thorn | | | | | | | | |
| 1 | <i>Parkinsonia florida</i> (<i>Cercidium floridum</i>) | Blue Palo Verde | 30 | 30 | Bright yellow | Spring | SE | 15 | Sonoran Desert | |
| 1 | <i>Parkinsonia hybrid</i> | Hybrid Palo Verde | 25 | 25 | Yellow | Spring to summer | SE | 15 | Variety/Cultivar | |
| 1 | <i>Parkinsonia microphylla</i> (<i>Cercidium microphyllum</i>) | Foothills Palo Verde | 15 | 15 | Sulfur yellow | Mid to late spring | SE | 15 | Sonoran Desert | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| TREES | | | | | | | | | | |
|----------------------|---|--|----|----|---------------|--------------|------------|----------|--------------------------------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE or D | Cold Tol | Origin | Comments |
| 1 | <i>Parkinsonia praecox</i> (<i>Cercidium praecox</i>) | Palo Brea -Am, Sonoran palo verde-suppl | 25 | 25 | Bright yellow | Late spring | SE | 25 | Mexico into South America | |
| | <i>Phoenix canariensis</i> | Canary Island Date Palm | | | | | | | | |
| | <i>Phoenix dactylifera</i> | Date Palm | | | | | | | | |
| | <i>Pinus canariensis</i> | Canary Island Pine | | | | | | | | |
| 2 | <i>Pinus eldarica</i> | Afghan Pine | 50 | 30 | Brown | N/A | E | 10 | Afghanistan | |
| | <i>Pinus halepensis</i> | Aleppo Pine | | | | | | | | |
| | <i>Pinus pinea</i> | Italian Stone Pine | | | | | | | | |
| | <i>Pinus roxburghii</i> | Chir Pine | | | | | | | | |
| | <i>Pistacia spp.</i> | Pistachio | | | | | | | | |
| | <i>Pistacia atlantica</i> | Mt. Atlas Pistache | | | | | | | | |
| 3 | <i>Pistacia chinensis</i> | Chinese Pistache | 40 | 35 | Green | Spring | D | 10 | China and the Philippines | |
| 2 | <i>Pistacia lentiscus</i> | Mastic Tree | 15 | 20 | Green | Spring | E | 20 | Mediterranean | |
| | <i>Pittosporum angustifolium</i> (<i>Pittosporum phillyraeoides</i>) | Weeping Pittosporum, Willow Pittosporum | | | | | | | | |
| | <i>Prosopis spp.</i> | Mesquite | | | | | | | | |
| | <i>Prosopis alba</i> | Argentine Mesquite | | | | | | | | |
| | <i>Prosopis chilensis</i> | Chilean Mesquite | | | | | | | | |
| 1 | <i>Prosopis glandulosa</i> | Texas Honey Mesquite | 30 | 30 | Pale yellow | Spring | D | 0 | Texas and Mexico | |
| | <i>Prosopis pubescens</i> | Screwbean Mesquite | | | | | | | | |
| 1 | <i>Prosopis species</i> | Chilean Mesquite | 30 | 30 | Yellow-green | Spring | SE | 15 | | |
| 1 | <i>Prosopis velutina</i> (<i>Prosopis juliflora</i>) | Velvet Mesquite | 25 | 25 | Pale yellow | Spring | D | 15 | Sonoran and Chihuahuan Deserts | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| TREES | | | | | | | | | | |
|----------------------|---|---|----|----|--------------|----------------|------------|----------|-------------------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Quercus spp.</i> | Oak | | | | | | | | |
| | <i>Quercus buckleyi</i> | Texas Red Oak | | | | | | | | |
| | <i>Quercus emoryi</i> | Emory Oak | | | | | | | | |
| | <i>Quercus suber</i> | Cork Oak | | | | | | | | |
| | <i>Quercus turbinella</i> | Shrub Live Oak | | | | | | | | |
| 3 | <i>Quercus virginiana</i> | Live Oak-Am. southern live oak-suppl | 40 | 50 | Green | Spring | SE | 0 | Southeast US | |
| | <i>Rhus lancea</i> | African Sumac | | | | | | | | |
| | <i>Rhus lanceolata</i> | Prairie Flameleaf Sumac | | | | | | | | |
| | <i>Schinus molle</i> | California Pepper Tree | | | | | | | | |
| | <i>Schinus terebinthifolius</i> | Brazilian Pepper Tree | | | | | | | | |
| 2 | <i>Sophora secundiflora</i> | Texas Mountain Laurel, Mescal Bean | 8 | 6 | Purple | Spring | E | | Chihuahuan Desert | |
| | <i>Tamarix aphylla</i> | Athel Tree | | | | | | | | |
| | <i>Tipuana tipu</i> | Tipu Tree | | | | | | | | |
| 3 | <i>Ulmus parvifolia</i> 'Sempervirens' | Evergreen Elm, Chinese Evergreen Elm | 35 | 35 | Green | Spring | SE | 20 | China | |
| 2 | <i>Ungnadia speciosa</i> | Mexican Buckeye | 10 | 10 | Rose-pink | Spring | D | 5 | Chihuahuan Desert | |
| 3 | <i>Vitex agnus-castus</i> | Chaste Tree | 20 | 20 | Lavender | Summer to fall | D | 15 | Southern Europe | |
| | <i>Washingtonia spp.</i> | Desert Fan Palm | | | | | | | | |
| | <i>Washingtonia filifera</i> | California Fan Palm | | | | | | | | |
| | <i>Washingtonia robusta</i> | Mexican Fan Palm | | | | | | | | |
| | <i>Xylosma congestum</i> | Xylosma | | | | | | | | |
| | <i>Ziziphus jujuba</i> | Chinese Jujube | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| SHRUBS | | | | | | | | | | |
|----------------------|---|--------------------------------------|----|----|----------------------|------------------------|------------|----------|-------------------------------------|---------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Orig. Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| 2 | <i>Abutilon palmeri</i> | Superstition Mallow | 4 | 3 | Orange-yellow | Spring to fall | E | 20 | Arizona and northwestern Mexico | |
| | <i>Acacia spp.</i> | Acacia | | | | | | | | |
| | <i>Acacia angustissima</i> v. <i>hirta</i> | Fern Acacia | | | | | | | | |
| 2 | <i>Acacia berlandieri</i> | Guajillo | 15 | 15 | Cream | Spring | SE | 15 | Southern Texas and Mexico | Listed as a tree in Plants Book |
| 1 | <i>Acacia constricta</i> | White Thorn Acacia | 10 | 15 | Yellow | Spring to summer | SE | 5 | Sonoran and Chihuahuan Deserts | Listed as a tree in Plants Book |
| 1 | <i>Acacia craspedocarpa</i> | Leather-Leaf Acacia | 10 | 8 | Yellow | Spring to summer | E | 20 | Australia | |
| | <i>Acacia millefolia</i> | Santa Rita Acacia | | | | | | | | |
| | <i>Acacia notabilis</i> | Notable Wattle, Mallee Golden Wattle | | | | | | | | |
| | <i>Acacia rigens</i> | Needle Acacia | | | | | | | | |
| 1 | <i>Acacia rigidula</i> | Blackbrush Acacia | 12 | 12 | Light yellow | Spring | E | 20 | Chihuahuan Desert | |
| | <i>Aloysia spp.</i> | Beebrush | | | | | | | | |
| 1 | <i>Aloysia gratissima</i> (Aloysia lycioides) | Bee Brush | 6 | 6 | White to pale purple | Spring to fall | SE | 15 | Chihuahuan Desert and South America | |
| | <i>Aloysia macrostachya</i> | Sweet-stem | | | | | | | | |
| | <i>Aloysia wrightii</i> | Oreganillo | | | | | | | | |
| | <i>Ambrosia ambrosioides</i> | Canyon Ragweed | | | | | | | | |
| 1 | <i>Ambrosia deltoidea</i> | Triangleleaf Bursage | 1 | 2 | Green | Midwinter to midspring | E | 22 | Sonoran Desert | |
| | <i>Ambrosia dumosa</i> | White Bur-sage | | | | | | | | |
| | <i>Anisacanthus spp.</i> | Desert Honeysuckle | | | | | | | | |
| | <i>Anisacanthus andersonii</i> | Anderson's Honeysuckle | | | | | | | | |
| 2 | <i>Anisacanthus quadrifidus</i> | Flame Honeysuckle | 3 | 4 | Orange-red | Summer to late fall | D | 5 | Chihuahuan Desert | |
| | <i>Anisacanthus thurberi</i> | Desert Honeysuckle | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| SHRUBS | | | | | | | | | | |
|----------------------|--|---------------------------------|----|----|--------------------|-----------------------|---------------------|----------|------------------------|------------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Orig. Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Artemisia spp.</i> | Sagebrush | | | | | | | | |
| | <i>Artemesia ludoviciana</i> | White Sage | | | | | | | | |
| | <i>Asclepias linaria</i> | Pine-leaf Milkweed | | | | | | | | |
| 1 | <i>Asclepias subulata</i> | Desert Milkweed | 3 | 3 | White | Spring to fall | E | 20 | Sonoran Desert | Listed as succulent in Plants Book |
| | <i>Atriplex spp.</i> | Saltbush | | | | | | | | |
| | <i>Atriplex lentiformis</i> | Quail Bush | | | | | | | | |
| 1 | <i>Atriplex canescens</i> | Fourwing Saltbush | 5 | 8 | Green | Spring to summer | E | 0 | Western North America | |
| | <i>Atriplex hymenelytra</i> | Desert Holly | | | | | | | | |
| | <i>Atriplex nummularia</i> | Old Man Saltbush | | | | | | | | |
| | <i>Baccharis spp.</i> | Desert Broom, Coyote Brush | | | | | | | | |
| | <i>Baccharis sarothroides</i> | Desert Broom | | | | | | | | |
| 1 | <i>Bahiopsis parishii</i> <i>(Viguiera parishii)</i> | Golden Eye, Parish's Golden Eye | 3 | 3 | Yellow | Spring | E | 25 | Sonoran Desert | |
| | <i>Bauhinia lunarioides</i> <i>(Bauhinia congesta)</i> | Anacacho | | | | | | | | |
| | <i>Bauhinia macarathera</i> | Orchid Tree | | | | | | | | |
| | <i>Bauhinia ramosissima</i> | Orchid Tree | | | | | | | | |
| | <i>Bebbia juncea</i> | Sweet Bush | | | | | | | | |
| | <i>Berberis haematocarpa</i> | Red Barberry | | | | | | | | |
| 1 | <i>Berberis trifoliolata</i> | Barberry, Agerita | 5 | 5 | Yellow | Late winter to spring | E | 15 | Chihuahuan Desert | |
| 1 | <i>Buddleja marrubifolia</i> | | | | | | Spring to midsummer | E | 15 | Chihuahuan Desert |
| | <i>Caesalpinia spp.</i> | Bird-of-Paradise | | | | | | | | |
| 2 | <i>Caesalpinia gilliesii</i> | Yellow Bird of Paradise | 6 | 5 | Yellow with red | Spring to fall | SE | 5 | Argentina | |
| 3 | <i>Caesalpinia mexicana</i> | Mexican Bird of Paradise | 10 | 8 | Yellow | Spring to fall | E | 15 | Mexico | |
| 3 | <i>Caesalpinia pulcherrima</i> | Red Bird of Paradise | 6 | 6 | Orange and yellow | Late spring to fall | D | 30 | West Indies and Mexico | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| SHRUBS | | | | | | | | | | |
|----------------------|---|-------------------------------------|----|----|--------------------|-----------------|------------|----------|---------------------------------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Orig. Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| 3 | <i>Calliandra californica</i> | Baja Fairy Duster, Red Fairy Duster | 5 | 5 | Red | Spring to fall | SE | 20 | Baja California | |
| 1 | <i>Calliandra eriophylla</i> | Pink Fairy Duster | 3 | 4 | Pink | Spring to fall | SE | 5 | Southwestern deserts | |
| | <i>Calliandra peninsularis</i> | Fairy Duster | | | | | | | | |
| | <i>Callistemon citrinus</i> | Lemon Bottlebrush | | | | | | | | |
| | <i>Callistemon phoeniceus</i> | Salt Resistant Bottlebrush | | | | | | | | |
| | <i>Callistemon viminalis</i> | Bottlebrush | | | | | | | | |
| | <i>Calothamnus spp.</i> | Net Bush | | | | | | | | |
| | <i>Calothamnus quadrifidatus</i> | One-sided Bottlebrush | | | | | | | | |
| | <i>Calothamnus villosus</i> | Woolly Netbush | | | | | | | | |
| | <i>Cassia artemisioides</i> (Senna artemisioides) | Feathery Cassia | | | | | | | | |
| | <i>Cassia biflora</i> | Twin Flower Cassia | | | | | | | | |
| | <i>Cassia goldmannii</i> | | | | | | | | | |
| | <i>Cassia nemophila</i> | Desert Cassia | | | | | | | | |
| | <i>Cassia phyllodinea</i> | Silver-leaf Cassia | | | | | | | | |
| | <i>Cassia wislizenii</i> | Shrubby Cassia | | | | | | | | |
| 1 | <i>Celtis pallida</i> | Desert Hackberry | 8 | 10 | Yellow-green | Spring | E | 10 | Southwestern deserts | |
| 1 | <i>Chrysactinia mexicana</i> | Damiana | 2 | 2 | Golden yellow | Spring and fall | E | 0 | Western Texas and Mexico | |
| | <i>Chrysothamnus nauseosus</i> | Rabbit Brush | | | | | | | | |
| | <i>Cistus spp.</i> | Rockrose | | | | | | | | |
| | <i>Cistus incanus</i> (<i>Cistus villosus</i>) | Rockrose | | | | | | | | |
| | <i>Condalia globosa</i> | Bitter Condalia | | | | | | | | |
| 1 | <i>Convolvulus cneorum</i> | Bush Morning Glory, Silverbush | 2 | 3 | White | Spring | E | 15 | Southern Europe | |
| 3 | <i>Cordia boissieri</i> | Texas Olive, Anacahuita | 10 | 10 | White | Spring to fall | E | 20 | South Texas and Northern Mexico | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| SHRUBS | | | | | | | | | | |
|----------------------|--|--|----|----|--------------------|-----------------------|------------|----------|--------------------------------|------------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Orig. Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| 1 | <i>Cordia parvifolia</i> | Little-Leaf Cordia | 6 | 6 | White | Spring to fall | SE | 18 | Sonoran and Chihuahuan Deserts | |
| | <i>Coursetia glandulosa</i> | Baby Bonnes | | | | | | | | |
| 3 | <i>Cycas revoluta</i> | Sago Palm | 5 | 4 | Brown | Spring | E | 15 | Japan | Listed as succulent in Plants Book |
| | <i>Dalea spp.</i> | Smoketree, Indigo Bush | | | | | | | | |
| | <i>Dalea bicolor</i> var. <i>argyraea</i> | Silver Dalea | | | | | | | | |
| 2 | <i>Dalea frutescens</i> | Black Dalea | 3 | 4 | Rose-purple | Fall to early winter | SE | 15 | Chihuahuan Desert | |
| 2 | <i>Dalea pulchra</i> | Bush Dalea -Am, Indigo bush-suppl | 4 | 5 | Violet | Winter to Spring | E | 10 | Arizona and Mexico | |
| 2 | <i>Dalea versicolor</i> | Weeping Dalea | 3 | 4 | Purple | Fall to spring | E | 20 | Sonoran Desert | |
| | <i>Dalea versicolor</i> var. <i>sessilis</i> | Wislizenus Dalea | | | | | | | | |
| | <i>Dicliptera resupinanta</i> | Native Dicliptera | | | | | | | | |
| 2 | <i>Dodonaea viscosa</i> | Hop Bush | 10 | 8 | Lavender-purple | Spring | E | 15 | Warm regions worldwide | |
| | <i>Encelia spp.</i> | Brittlebush | | | | | | | | |
| 1 | <i>Encelia farinosa</i> | Brittlebush | 3 | 4 | Yellow | Winter to Spring | E | 25 | Sonoran and Mojave Deserts | |
| | <i>Ephedra spp.</i> | Mormon-tea | | | | | | | | |
| 2 | <i>Ephedra nevadensis</i> | Desert Tea | 3 | 3 | Green | Spring | E | 0 | Southwest US and Mexico | |
| | <i>Ephedra nevadensis</i> var. <i>aspera</i> | Boundary | | | | | | | | |
| | <i>Ephedra trifurca</i> | Mormon Tea | | | | | | | | |
| | <i>Eremophila spp.</i> | Emu Bush | | | | | | | | |
| | <i>Eremophila glabra</i> | Spotted Emu Bush | | | | | | | | |
| 3 | <i>Eremophila maculata</i> | Red Eremophila, Emu bush | 4 | 5 | Red | Late winter to spring | E | 25 | Australia | |
| | <i>Ericameria linearifolia</i> | Turpentine Bush, Narrowleaf Goldenbush | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| SHRUBS | | | | | | | | | | |
|----------------------|--|--|----|----|--------------------|-----------------------|------------|----------|----------------------------|------------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Orig. Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Eriogonum spp.</i> | Buckwheat | | | | | | | | |
| 1 | <i>Eriogonum fasciculatum</i> | Flattop Buckwheat, California Buckwheat | 1 | 2 | Pale pink to white | Spring | E | 15 | Southwestern deserts | |
| | <i>Erythrina flabelliformis</i> | Southwest Coralbean | | | | | | | | |
| 1 | <i>Euphorbia antisiphilitica</i> | Candelilla, Wax Plant | 1 | 2 | Pink and white | Spring to summer | E | 15 | Chihuahuan Desert | Listed as succulent in Plants Book |
| 1 | <i>Euphorbia rigida</i> (<i>Euphorbia biglandulosa</i>) | Euphorbia | 2 | 3 | Chartreuse | Midwinter to spring | E | 15 | Mediterranean | |
| | <i>Euphorbia tirucalli</i> | Fire Stick | 4 | | | | E | | South Africa | |
| | <i>Feijoa sellowiana</i> | Pineapple Guava | | | | | | | | |
| | <i>Forestiera neomexicana</i> | Desert Olive | | | | | | | | |
| 3 | <i>Fraxinus greggii</i> | Little-leaf Ash | 10 | 8 | Green | Spring | SE | 10 | Chihuahuan Desert | |
| | <i>Genista hispanica</i> | Spanish Broom | | | | | | | | |
| 2 | <i>Gossypium harknessii</i> | San Marcos Hibiscus | 3 | 4 | Yellow with red | Summer to fall | E | 25 | Sonoran Desert | |
| 2 | <i>Guaiacum coulteri</i> | Guayacan | 5 | 5 | Deep violet-blue | Summer | SE | 25 | Northwestern Mexico | |
| | <i>Guizetia sarothrae</i> | Snakeweed | | | | | | | | |
| 3 | <i>Hamelia patens</i> | Firecracker Bush, Fire Bush | 4 | 4 | Red-orange | Summer | SE | 25 | Florida into South America | |
| | <i>Hymenoclea monogyra</i> | Burrobrush | | | | | | | | |
| 1 | <i>Hyptis emoryi</i> | Desert Lavender | 6 | 4 | Tiny lavender | Spring | E | 25 | Southwestern deserts | |
| 3 | <i>Jasminum mesnyi</i> | Primrose Jasmine | 10 | 6 | Yellow | Late winter to spring | E | 15 | Western China | Listed as vine in Plants Book |
| | <i>Jatropha spp.</i> | Limberbush | | | | | | | | |
| | <i>Jatropha cardiophylla</i> | Limberbush | | | | | | | | |
| | <i>Jatropha cinerea</i> | Lomboy | | | | | | | | |
| | <i>Jatropha dioica</i> | Leatherstem | | | | | | | | |
| | <i>Juniperus chinensis</i> varieties | Juniper | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| SHRUBS | | | | | | | | | | |
|----------------------|--|---|----|----|------------------------|--------------------------------|------------|----------|------------------------|-------------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Orig. Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Justicia spp.</i> | Mexican Honeysuckle, Chuparosa | | | | | | | | |
| 2 | <i>Justicia californica</i> | Chuparosa | 4 | 4 | Orange to red | Late winter to spring | SE | 25 | Sonoran Desert | |
| 3 | <i>Justicia candicans</i> | Red Justicia | 3 | 3 | Bright red | Fall and spring | E | 25 | Arizona and Mexico | |
| | <i>Justicia sonorae</i> | Palm Canyon Justicia | | | | | | | | Also listed as a perennial |
| | <i>Justicia spicigera</i> | Mexican Honeysuckle | | | | | | | | |
| | <i>Krameria parvifolia</i> | Ratany | | | | | | | | |
| | <i>Lantana spp.</i> | Lantana | | | | | | | | Also listed as vine and groundcover |
| 1 | <i>Larrea tridentata</i> | Creosote Bush | 6 | 6 | Small yellow | Spring to fall | E | 5 | North American deserts | |
| | <i>Leucophyllum spp.</i> | Texas Sage, Texas Ranger | | | | | | | | |
| 1 | <i>Leucophyllum candidum</i> | Violet Silverleaf-Am, Silver sage cv or silver cloud -suppl | 3 | 3 | Deep violet | Summer to fall | E | 10 | Chihuahuan Desert | |
| 1 | <i>Leucophyllum frutescens</i> | Texas Sage, cv. Green Cloud, White Cloud, compacta | 6 | 6 | White, pink, or purple | Summer to fall | E | 10 | Chihuahuan Desert | |
| 1 | <i>Leucophyllum laevigatum</i> | Chihuahuan Sage | 4 | 5 | Lavender | Summer to fall | E | 10 | Chihuahuan Desert | |
| 1 | <i>Leucophyllum langmaniae</i> | Langman's Sage, Sierra Madre Sage | 5 | 5 | Lavender | Summer to fall | E | 10 | Chihuahuan Desert | |
| | <i>Leucophyllum pruinosum</i> | Fragrant Sage | | | | | | | | |
| | <i>Leucophyllum zygophyllum</i> | Blue Ranger | | | | | | | | |
| | <i>Lippia graveolens (Lippia berlandieri)</i> | Mexican Oregano | | | | | | | | |
| | <i>Lycium spp.</i> | Wolfberry | | | | | | | | |
| | <i>Lycium andersonii</i> | Anderson Thornbush | | | | | | | | |
| | <i>Lycium brevipes</i> | Frutilla | | | | | | | | |
| 1 | <i>Lycium fremontii</i> | Wolfberry | 8 | 8 | White to lavender | Late winter to spring and fall | D | 20 | Sonoran Desert | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| SHRUBS | | | | | | | | | | |
|----------------------|---|------------------------|----|----|-----------------------|------------------|------------|----------|---------------------------------|------------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Orig. Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Maireana sedifolia</i> | Bluebush | | | | | | | | |
| | <i>Malpighia emarginata</i> | Barbados Cherry | | | | | | | | |
| 2 | <i>Maytenus phyllanthoides</i> | Mangle Dulce | 3 | 4 | Green | Spring | E | 20 | Southern US and Mexico | |
| | <i>Melaleuca spp.</i> | Australian Myrtle | | | | | | | | |
| | <i>Mimosa biuncifera</i> | Wait-a-Minute Bush | | | | | | | | |
| | <i>Mimosa dysocarpa</i> | Velvet Pod Mimosa | | | | | | | | |
| 3 | <i>Myrtus communis</i> | Myrtle | 5 | 4 | White | Spring | E | 20 | Mediterranean | |
| | <i>Nandina domestica</i> | Heavenly-bamboo | | | | | | | | |
| 2 | <i>Nerium oleander</i> | Oleander | 6 | 4 | White, pink, or red | Spring to fall | E | 20 | Mediterranean | |
| | <i>Perovskia atriplicifolia</i> cv. 'Heavenly Blue' | Russian Sage | | | | | | | | |
| | <i>Phlomis fruticosa</i> | Jerusalem Sage | 3 | 3 | Intense yellow | Spring to summer | E | | | Listed as perennial in Plants Book |
| | <i>Plumbago capensis</i> | Cape Plumbago | | | | | | | | |
| 3 | <i>Plumbago scandens</i> | White Plumbago | 3 | 3 | White | Summer to fall | E | 20 | Arizona and Mexico | |
| | <i>Poliomintha maderensis</i> | Lavender Spice | | | | | | | | |
| 3 | <i>Punica granatum</i> | Pomegranate | 8 | 6 | Orange to red | Spring | D | 10 | Southern Asia and Mediterranean | |
| | <i>Punica granatum</i> varieties | Pomegranate | | | | | | | | |
| | <i>Pyracantha spp.</i> | Pyracantha, Fire Thorn | | | | | | | | |
| | <i>Pyracantha coccinea</i> | Firethorn | | | | | | | | |
| | <i>Rhus choriophylla</i> | Mearns Sumac | | | | | | | | |
| | <i>Rhus microphylla</i> | Desert Sumac | | | | | | | | |
| 3 | <i>Rhus ovata</i> | Sugarbush | 6 | 6 | Red followed by cream | Spring | E | 10 | Arizona into Baja California | |
| | <i>Rhus trilobata</i> | Skunkbush | | | | | | | | |
| | <i>Rhus virens</i> | Evergreen Sumac | | | | | | | | |
| | <i>Rosmarinus officinalis</i> | Bush Rosemary | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| SHRUBS | | | | | | | | | | |
|----------------------|---|--|----|----|---------------------|-----------------------|------------|----------|--|--------------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Orig. Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | Ruellia ssp. | Ruellia | | | | | | | | |
| | <i>Ruellia brittoniana</i> | Purple Ruellia | 3 | 3 | Purple | Spring to fall | SE | | | |
| 2 | <i>Ruellia peninsulae</i> | Baja Ruellia | 3 | 4 | Purple | Spring to fall | E | 28 | Southern Baja California and northwestern Mexico | |
| | Salvia spp. | Sage | | | | | | | | |
| | <i>Salvia chamaedryoides</i> | Blue Sage | | | | | | | | |
| 2 | <i>Salvia clevelandii</i> | Chaparral Sage | 4 | 4 | Blue to violet | Spring to summer | E | 15 | Southern and Baja California | Listed as a perennial in Plants Book |
| | <i>Salvia dorrii</i> | Desert Sage | | | | | | | | |
| | <i>Salvia greggii</i> | Autumn Sage | 2 | 2 | Red, pink, or white | Spring and fall | E | | | Listed as a perennial in Plants Book |
| | <i>Salvia leucantha</i> | Mexican Bush Sage | 4 | 4 | Purple | Late spring to fall | SE | | | Listed as a perennial in Plants Book |
| | <i>Salvia leucophylla</i> | Purple Sage | | | | | | | | |
| | Senna spp. (Cassia spp.) | Cassia | | | | | | | | |
| | <i>Senna polyantha, Cassia goldmannii</i> | | | | | | | | | |
| 1 | <i>Senna artemisioides</i> (<i>Cassia artemisioides</i>) | Green Feathery Senna-Am, feathery cassia-suppl | 6 | 6 | Yellow | Late winter to spring | E | 20 | Australia | |
| | <i>Senna pallida</i> (<i>Cassia biflora</i>) | Twin Flower Cassia | | | | | | | | |
| | <i>Senna nemophila</i> (<i>Cassia nemophila</i>) | Desert Cassia | | | | | | | | |
| | <i>Senna phyllodinea</i> (<i>Cassia phyllodinea</i>) | Silver-leaf Cassia | | | | | | | | |
| 1 | <i>Senna wislizenii</i> (<i>Cassi wislizenii</i>) | Shrubby Senna, Shrubby Cassia | 4 | 6 | Bright yellow | Summer | D | 10 | Chihuahuan Desert | |
| 1 | Simmondsia chinensis | Jojoba | 6 | 6 | Yellow-green | Spring | E | 20 | Sonoran Desert | |
| | Solanum xanti | | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| SHRUBS | | | | | | | | | | |
|----------------------|--|---|----|----|--------------------|----------------------------------|------------|----------|--------------------------------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Orig. Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Sophora arizonica</i> | Arizona Sophora | | | | | | | | |
| | <i>Sophora formosa</i> | Sophora | | | | | | | | |
| 2 | <i>Sophora secundiflora</i> | Texas Mountain Laurel, Mescal Bean | 8 | 6 | Purple | Spring | E | 5 | Chihuahuan Desert | |
| | <i>Tecoma spp.</i> | Tacoma | | | | | | | | |
| 3 | <i>Tecoma hybrid</i> | Orange Bells | 8 | 5 | Orange | Year-round in frost-free weather | SE | 28 | Variety/Cultivar | |
| 2 | <i>Tecoma stans</i> | Arizona Yellow Bells | 6 | 6 | Yellow | Spring to fall | SE | 25 | Sonoran and Chihuahuan Deserts | |
| 3 | <i>Tecomaria capensis</i> | Cape Honeysuckle | 6 | 5 | Vivid orange-red | Year-round in frost-free weather | E | 28 | South Africa | |
| | <i>Teucrium fruticans</i> | Bush Germander | | | | | | | | |
| | <i>Thamnosma montana</i> | Turpentine Broom | | | | | | | | |
| | <i>Thevetia peruviana</i> | Yellow Oleander | | | | | | | | |
| | <i>Trixis californica</i> | Trixis | | | | | | | | |
| | <i>Vauquelinia spp.</i> | Rosewood | | | | | | | | |
| 2 | <i>Vauquelinia californica</i> | Arizona Rosewood | 10 | 8 | White | Early summer | E | 15 | Sonoran Desert | |
| | | Narrow-leaf Rosewood | | | | | | | | |
| | <i>Viguiera stenoloba</i> | Skeleton-leaf Goldeneye | | | | | | | | |
| | <i>Viguiera tomentosa</i> | Goldeneye | | | | | | | | |
| | <i>Wedelia texana (W. hispida, Zexmenia hispida)</i> | Rough Zexmenia | | | | | | | | |
| | <i>Westringia rosmariniformis</i> | Westringia | | | | | | | | |
| 1 | <i>Zizyphus obtusifolia</i> | Gray Thorn | 6 | 8 | Cream | Early summer | D | 15 | Southwest US and Mexico | |

| CACTUS/SUCCULENTS/ACCENTS | | | | | | | | | |
|---------------------------|--------------------------------------|-------------------------------------|-------|-------|---------------------------|-----------------------|------------|--------|-------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Origin | Comments |
| | Agave spp. | Century Plant, Agave | | | | | | | |
| | <i>Agave americana</i> | Century Plant | | | | | | | |
| 1 | <i>Agave bovicornuta</i> | Lechuguilla Verde, Cow's Horn Agave | 3 | 3 | Yellow | Late winter to spring | E | 20 | Northern Mexico |
| 1 | <i>Agave colorata</i> | Mescal Ceniza | 3 | 3 | Yellow | Spring | E | 15 | Sonoran Desert |
| 1 | <i>Agave desertitiana</i> | Smooth Agave | 3 | 3 | Bright yellow | Spring | E | 25 | Mexico |
| 1 | <i>Agave geminiflora</i> | Twin-flowered Agave | 3 | 3 | Yellow | Winter | E | 25 | West central Mexico |
| | <i>Agave murpheyi</i> | Murphy's Agave | | | | | | | |
| 1 | <i>Agave parryi</i> | Parry's Agave | 2 | 2 | Bright yellow | Summer | E | 15 | Arizona and Chihuahuan Desert |
| | <i>Agave victoriae-reginae</i> | Royal Agave | | | | | | | |
| 1 | <i>Agave vilmoriniana</i> | Octopus Agave | 4 | 5 | Yellow | Spring | E | 20 | Northwest Mexico |
| 1 | <i>Agave weberi</i> | Weber's Agave | 6 | 6 | Yellow | Spring to summer | E | 12 | Mexico |
| | Aizoaceae | Ice Plant Family | | | | | | | From Suppl. List |
| | <i>Caripobrotus chilensis</i> | Ice Plant | | | | | | | |
| | <i>Caripobrotus edulis</i> | Hottentot Fig | | | | | | | |
| | <i>Cephalophyllum alstonii</i> | Red Spike Ice Plant | | | | | | | |
| | <i>'Red Spike'</i> | | | | | | | | |
| | <i>Drosanthemum speciosum</i> | Dewflower | | | | | | | |
| 1 | <i>Malephora crocea</i> | Gray Ice Plant, Ice Plant | 6 in. | 6 ft. | Orange to red with yellow | Spring | E | 20 | South Africa |
| | <i>Mesembryanthemum crystallinum</i> | Common Ice Plant | | | | | | | |
| | Aloe spp. | Aloe | | | | | | | |
| 1 | <i>Aloe dawei</i> | Dawe's Aloe | 2 | 3 | Red | Winter | E | 27 | Central Africa |
| 1 | <i>Aloe ferox</i> | Tree Aloe, Cape Aloe | 5 | 3 | Orange-red | Winter to Spring | E | 25 | South Africa |
| | <i>Aloe marlothii</i> | Mountain Aloe | | | | | | | |
| | <i>Aloe saponaria</i> | Tiger Aloe | | | | | | | |
| | <i>Aloe striata</i> | Coral Aloe | | | | | | | |

| CACTUS/SUCCULENTS/ACCENTS | | | | | | | | | | |
|---------------------------|--|----------------------------|-----|-----|------------------|-----------------------------|------------|----------|--------------------------------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| 1 | <i>Aloe variegata</i> | Partridge Breast Aloe | 1 | 1 | Salmon | Winter to spring | E | 20 | South Africa | |
| 1 | <i>Aloe vera</i> (<i>Aloe barbadensis</i>) | Medicinal Aloe | 2 | 5 | Yellow | Spring | E | 25 | Africa | |
| 1 | <i>Asclepias subulata</i> | Desert Milkweed | 3 | 3 | White | Spring to fall | E | 20 | Sonoran Desert | |
| 2 | <i>Bulbine frutescens</i> | Yellow Bulbine, Bulbine | 1 | 2 | Yellow | Winter to spring | E | 15 | South Africa | |
| | Cactaceae | Cactus Family | | | | | | | | |
| 1 | <i>Carnegiea gigantea</i> | Saguaro | 20 | 10 | White | Late spring | E | 18 | Sonoran Desert | |
| 1 | <i>Cereus hildmannianus</i> | Hildmann's Cereus | 15 | 10 | White | Spring to summer | E | 24 | Eastern South America | |
| 1 | <i>Echinocactus grusonii</i> | Golden Barrel | 1.5 | 2 | Yellow | Spring | E | 18 | Southern Mexico | |
| 1 | <i>Echinocereus engelmannii</i> | Engelmann's Hedgehog | 1 | 2 | Magenta | Spring | E | 10 | Sonoran Desert | |
| | <i>Ferocactus acanthodes</i> | Compass Barrel | | | | | | | | |
| 1 | <i>Ferocactus cylindraceus</i> | Compass Barrel | 2 | 1.5 | Yellow to orange | Late spring to early summer | E | 10 | Sonoran and Mojave Deserts | |
| | <i>Ferocactus wislizenii</i> | Fishhook Barrel | | | | | | | | |
| 1 | <i>Lophocereus schottii</i> | Senita, Totem Pole | 10 | 10 | Pink | Late spring to summer | E | 20 | Baja California | |
| | <i>Myrtillocactus geometrizans</i> | Blue Myrtle Cactus | 15 | 10 | Greenish white | Spring | E | 24 | Southern Mexico | |
| 1 | <i>Opuntia acanthocarpa</i> | Buckhorn Cholla | 4 | 5 | Red to yellow | Spring | E | 10 | Sonoran and Mojave Deserts | |
| 1 | <i>Opuntia basilaris</i> | Beavertail Prickly Pear | 1 | 3 | Magenta to pink | Spring | E | 10 | Sonoran and Mojave Deserts | |
| | <i>Opuntia bigelovii</i> | Teddy Bear Cholla | | | | | | | | |
| | <i>Desert Prickly Pear,</i> <i>Engelmann's Prickly Pear</i> | | | | | | | | | |
| 1 | <i>Opuntia engelmannii</i> | | | | | Spring to early summer | E | 10 | Sonoran and Chihuahuan Deserts | |
| 1 | <i>Opuntia ficus-indica</i> | Indian Fig | 12 | 18 | Yellow to orange | Spring | E | 22 | Mexico | |
| 1 | <i>Opuntia robusta</i> | Giant Prickly Pear | 10 | 10 | Yellow | Spring | E | 15 | Central Mexico | |
| 1 | <i>Opuntia santa-rita</i> | Purple Prickly Pear | 4 | 5 | Yellow | Spring | E | 10 | Sonoran and Chihuahuan Deserts | |

| CACTUS/SUCCULENTS/ACCENTS | | | | | | | | | | |
|---------------------------|----------------------------------|---|----|----|----------------|-----------------------|------------|----------|--|-----------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Opuntia violacea</i> | Purple Prickly Pear | | | Pink | Spring | E | 20 | Southern Mexico | |
| 1 | <i>Pachycereus marginatus</i> | Mexican Fencepost | 10 | 6 | Pink | Spring to Summer | E | 22 | Sonoran Desert | |
| 1 | <i>Stenocereus thurberi</i> | Organ Pipe, Arizona Organ Pipe | 10 | 10 | Pale pink | Spring | E | 15 | Argentina | |
| 1 | <i>Tephrocactus articulatus</i> | Spruce Cones | 1 | 3 | White to pink | Spring | E | 10 | Argentina | |
| 2 | <i>Trichocereus candicans</i> | Argentine Trichocereus, Argentine Giant | 2 | 3 | White | Spring | E | 10 | Argentina | |
| 2 | <i>Trichocereus huascha</i> | Argentine Hedgehog | 2 | 3 | Orange and red | Spring to summer | E | 10 | Argentina | |
| 2 | <i>Trichocereus terscheckii</i> | Cardon Grande | 15 | 8 | White | Spring | E | 10 | Argentina | |
| 3 | <i>Cycas revoluta</i> | Sago Palm | 5 | 4 | Brown | Spring | E | 15 | Japan | Listed as shrub in PHX List |
| | Dasyphyllum spp. | Desert Spoon | | | | | | | | |
| | <i>Dasyphyllum acrotiriche</i> | Green Desert Spoon | | | | | | | | |
| 2 | <i>Dasyphyllum longissimum</i> | Grass Tree | 5 | 5 | White | Summer | E | 15 | Northeast Mexico | |
| 2 | <i>Dasyphyllum wheeleri</i> | Desert Spoon, Sotol | 4 | 4 | Cream | Late spring to summer | E | 0 | Southern Arizona and Chihuahuan Desert | |
| 1 | <i>Euphorbia antisiphilitica</i> | Candelilla, Wax Plant | 1 | 2 | Pink and white | Spring to summer | E | 15 | Chihuahuan Desert | Listed as shrub in PHX List |
| | Fouquieria spp. | Ocotillo | | | | | | | | |
| | <i>Fouquieria macdougalii</i> | Chunari | | | | | | | | |
| 1 | <i>Fouquieria splendens</i> | Ocotillo | 12 | 10 | Red to orange | Spring | D | 10 | Sonoran, Chihuahuan and Mojave Deserts | |
| | Hechtia montana | Hechtia | | | | | | | | |
| | Hesperaloe spp. | Hesperaloe | | | | | | | | |
| | <i>Hesperaloe campanula</i> | Bell Flower | | | | | | | | |
| 1 | <i>Hesperaloe funifera</i> | Giant Hesperaloe, Coahuilan Hesperaloe | 5 | 5 | Greenish white | Late spring to summer | E | 10 | Northeastern Mexico | |
| | <i>Hesperaloe nocturna</i> | Night-blooming Hesperaloe | | | | | | | | |
| 1 | <i>Hesperaloe parviflora</i> | Red Hesperaloe, Red Yucca | 3 | 5 | Coral-red | Spring to summer | E | 10 | Western Texas and northeastern Mexico | |
| | Manfreda maculosa | Manfreda | | | | | | | | |
| | Nolina spp. | Beargrass | | | | | | | | |
| | <i>Nolina matapensis</i> | Tree Bear Grass | | | | | | | | |

| CACTUS/SUCCULENTS/ACCENTS | | | | | | | | | | |
|---------------------------|--------------------------------|------------------------------|-------|--------|--------------------------|-----------------------------|------------|----------|---|---------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| 1 | <i>Nolina microcarpa</i> | Beargrass | 3 | 4 | Pale green to cream | Late spring to early summer | E | 0 | Southwest US and Mexico | |
| 1 | <i>Pedilanthus macrocarpus</i> | Slipper Flower, Lady Slipper | 3 | 3 | Red | Late spring to summer | E | 25 | Baja California and northwestern Mexico | |
| | <i>Portulaca grandiflora</i> | Moss Rose | 6 in. | 18 in. | Rose, red, yellow, white | Summer to fall | N/A | | | Listed as annual in Plants Book |
| 2 | <i>Portulacaria afra</i> | Elephant's Food | 3 | 4 | Pink | Spring | E | 25 | South Africa | |
| | <i>Yucca spp.</i> | Yucca | | | | | | | | |
| | <i>Yucca aloifolia</i> | Spanish Bayonet | | | | | | | | |
| 1 | <i>Yucca baccata</i> | Banana Yucca | 3 | 5 | White | Spring to summer | E | 0 | Southwest US and Mexico | |
| | <i>Yucca brevifolia</i> | Joshua Tree | | | | | | | | |
| 1 | <i>Yucca elata</i> | Soaptree Yucca | 10 | 4 | White | Late spring | E | 0 | Southwest US and Mexico | |
| 1 | <i>Yucca pallida</i> | Paleleaf Yucca | 2 | 4 | White | Late spring to summer | E | 0 | Texas | |
| 1 | <i>Yucca rigida</i> | Blue Yucca | 12 | 5 | White | Late spring to summer | E | 10 | Chihuahuan Desert | |
| | <i>Yucca rostrata</i> | Beaked Yucca | | | | | | | | |

| GRASSES | | | | | | | | | | |
|----------------------|--------------------------------|------------------|----|----|--------------|--------------|------------|----------|--------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Aristida purpurea</i> | Purple Three-awn | | | Purple | | | | | |
| | <i>Bothriochloa barbinodis</i> | Cane Bluestem | | | | | | | | |
| | <i>Bothriochloa gerardii</i> | Big Bluestem | | | | | | | | |
| | <i>Bouteloua aristidoides</i> | Six-weeks Grama | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| GRASSES | | | | | | | | | | |
|----------------------|--|-----------------------|-----|-----|--------------|----------------|------------|-------------------------|--------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE or D | Cold Tol | Origin | Comments |
| 2 | <i>Bouteloua curtipendula</i> | Sideoats Grama | 2 | 1.5 | Green | Summer to fall | 0 | North and South America | | |
| 3 | <i>Bouteloua gracilis</i> | Blue Grama | 1.5 | 2 | Green | Summer | 0 | North America | | |
| | <i>Erioneuron pulchellum</i> | Fluffgrass | | | | | | | | |
| | <i>Hilaria rigida</i> | Big Galleta | | | | | | | | |
| 2 | <i>Muhlenbergia capillaris</i> | S, GC | 3 | 3 | Pink | Fall | 0 | Texas and Mexico | | |
| | <i>Muhlenbergia emersleyi</i> | Bull Grass | | | | | | | | |
| | <i>Muhlenbergia lindheimeri</i> | Lindheimer Muhy | | | | | | | | |
| | <i>Muhlenbergia porteri</i> | Bush Muhy | | | | | | | | |
| 2 | <i>Muhlenbergia rigens</i> | Deer Grass | 4 | 4 | Green | Summer | 0 | Southwest US and Mexico | | |
| | <i>Muhlenbergia rigida</i> | Purple Muhy | | | | | | | | |
| | <i>Pennisetum setaceum cv. 'Cupreum'</i> | Purple Fountain Grass | | | | | | | | |
| | <i>Schismus barbatus</i> | Mediterranean Grass | | | | | | | | |
| | <i>Setaria macrostachya</i> | Hummingbird Flower | | | | | | | | |
| | <i>Sporobolus airoides</i> | Alkali Sacaton | | | | | | | | |
| | <i>Sporobolus cryptandrus</i> | Sand Dropseed | | | | | | | | |
| | <i>Sporobolus wrightii</i> | S, GC | | | | | | | | |
| | <i>Trichachne californica</i> | Cotton top | | | | | | | | |

| GROUND COVERS | | | | | | | | | | |
|----------------------|-----------------------------|-------------------------------------|----|----|--------------|--------------|-------------|----------|--------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE, or D | Cold Tol | Origin | Comments |
| | <i>Acacia spp.</i> | Acacia | | | | | | | | |
| | | Trailing Acacia cv. 'Desert Carpet' | | | | | | | | |
| | <i>Acalypha monostachya</i> | Raspberry Fuzzies | | | | | | | | |
| | <i>Aizoaceae spp.</i> | Ice Plant Family | | | | | | | | |

GROUNDCOVERS

| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE, or D | Cold Tol | Origin | Comments |
|----------------------|--|---|-------|--------|---------------------------|------------------------|-------------|----------|--------------------------|------------------------------------|
| 2 | <i>Cephalophyllum alstonii</i> 'Red Spike' | Red Spike Ice Plant | 6 in. | 6 ft. | Brilliant red-cerise | Winter to early spring | E | 20 | Southern Africa | Listed as succulent in Suppl. List |
| 1 | <i>Malephora crocea</i> | Ice Plant, Gray Ice Plant | 6 in. | 6 ft. | Orange to red with yellow | Spring | E | 20 | South Africa | Listed as succulent in Suppl. List |
| | <i>Asparagus densiflorus</i> cv. 'Sprenger' | Sprenger Asparagus | | | | | | | | |
| | <i>Atriplex spp.</i> | Saltbush | | | | | | | | |
| | <i>Atriplex semibaccata</i> | Australian Saltbush | | | | | | | | |
| | <i>Baccharis v.</i> 'Centennial' | Centennial Baccharis | | | | | | | | |
| 2 | <i>Baccharis hybrid</i> | Trailing Desert Broom | 3 | 4 | White | Fall | E | 5 | Variety/Cultivar | |
| | <i>Baccharis pilularis</i> | Coyote Brush | | | | | | | | |
| | <i>Calylophus hartwegii</i> v. <i>fendleri</i> | Sundrops | | | | | | | | |
| 1 | <i>Chrysactinia mexicana</i> | Damianita | 2 | 2 | Golden yellow | Spring and fall | E | 0 | Western Texas and Mexico | Listed as shrub in PHX List |
| | <i>Cianthus formosus</i> | Sturt's Desert Pea | | | | | | | | |
| 1 | <i>Convolvulus cneorum</i> | Bush Morning Glory, Silverbush | 2 | 3 | White | Spring | E | 15 | Southern Europe | Listed as shrub in PHX List |
| | <i>Convolvulus mauritanicus</i> | Ground Morning Glory | | | | | | | | |
| | <i>Dalea spp.</i> | Indigo Bush | | | | | | | | |
| 2 | <i>Dalea greggii</i> | Trailing Dalea | 2 | 6 | Lavender-purple | Spring to summer | E | 15 | Chihuahuan Desert | |
| 1 | <i>Euphorbia rigida</i> | Blue Euphorbia, Gopher Plant | 2 | 3 | Chartreuse | Midwinter to spring | E | 15 | Mediterranean | Listed as shrub in PHX List |
| 2 | <i>Gazania rigens</i> | Trailing Gazania | 8 in. | 18 in. | Orange, bronze, yellow | Late winter to spring | E | 15 | South Africa | |
| | <i>Glandularia bipinnatifida</i> (<i>Verbena bipinnatifida</i>) | Verbena | | | | | | | | |
| | <i>Glandularia peruviana</i> (<i>Verbena peruviana</i>) | Peruvian Verbena | | | | | | | | |

GROUNDCOVERS

| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE, or D | Cold Tol | Origin | Comments |
|----------------------|--|-------------------------------|-------|-------|----------------------|----------------------------------|-------------|----------|-----------------------|------------------------------------|
| | <i>Glandularia rigidida</i> (<i>Verbena rigida</i>) | Sandpaper Verbena | | | | | | | | |
| | <i>Glandularia tenera</i> (<i>Verbena tenera</i>) | Latin Mock Vervain | | | | | | | | |
| | <i>Lantana spp.</i> | Trailing Lantana | | | | | | | | |
| 3 | <i>Lantana hybrid</i> | Lantana | 2 | 3 | Yellow, orange, gold | Year-round in frost-free weather | E | 28 | Variety/Cultivar | |
| 3 | <i>Lantana montevidensis</i> | Trailing Lantana | 1 | 4 | Lavender to white | Year-round in frost-free weather | E | 25 | South America | |
| 3 | <i>Myoporum parvifolium</i> | Myoporum | 8 in. | 6 ft. | Small white | Spring | E | 20 | Australia | Water use is 2 if in partial shade |
| | <i>Oenothera berlandieri</i> (<i>O. speciosa</i>) | Mexican Evening Primrose | | | | | | | | |
| 3 | <i>Oenothera caespitosa</i> | Tufted Evening Primrose | 1 | 2 | White fade to pink | Spring to fall | E | 10 | Western US and Mexico | Water use is 2 if in partial shade |
| 3 | <i>Oenothera stubbeii</i> | Saltillo Primrose | 6 in. | 4 ft. | Butter yellow | Spring to fall | E | 15 | Northeast Mexico | Water use is 2 if in partial shade |
| | <i>Pentzia incana</i> | Karoo Bush | | | | | | | | |
| 2 | <i>Rosmarinus officinalis</i> | Trailing or Prostate Rosemary | 2 | 4 | Blue | Winter to spring | E | 15 | Mediterranean | Listed as shrub in PHX List |
| | <i>Ruellia spp.</i> | Ruellia | | | | | | | | Listed as shrub in PHX List |
| 3 | <i>Ruellia brittoniana</i> 'Katie' | Katie Ruellia | 1 | 2 | Purple | Spring to fall | E | 28 | Variety/Cultivar | |
| | <i>Salvia chamaedryoides</i> | Blue Sage | | | | | | | | |
| | <i>Salvia farinacea</i> | Mealy Cup Sage | 1.5 | 1.5 | Blue-purple | Spring to fall | SE | | | Listed as perennial in Plants Book |
| | <i>Santolina chamaecyparissus</i> | Lavender Cotton | | | | | | | | |
| | <i>Santolina virens</i> | Green Santolina | | | | | | | | |
| | <i>Sesuvium verrucosum</i> | Sea Purslane | | | | | | | | |
| 3 | <i>Teucrium chamaedrys</i> cv. 'Prostrata' | Creeping Germander | 6 in. | 3 ft. | Pale pink | Winter to spring | E | 0 | Variety/Cultivar | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

GROUNDCOVERS

| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom Season | E, SE, or D | Cold Tol | Origin | Comments |
|----------------------|---------------------------------|--|-----|----|--------------|------------------|-------------|----------|---------------------------|----------|
| 3 | <i>Wedelia trilobata</i> | Yellow Dot | 1.5 | 6 | Yellow | Spring to summer | E | 30 | Central and South America | |
| | <i>Zauschneria spp.</i> | Hummingbird Flower | | | | | | | | |
| | <i>Zauschneria californica</i> | Hummingbird Flower, Hummingbird Trumpet | 1 | 2 | Orange-red | Summer to fall | SE | | | |

VINES

| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE, D | Cold Tol | Origin | Comments |
|----------------------|--|--|----|----|--------------------|----------------------------------|----------|----------|-------------------------|-----------------------------|
| 3 | <i>Antigonon leptopus</i> | Queen's Wreath, Coral Vine | 15 | 15 | Bright pink | Summer to fall | D | 30 | Mexico | |
| | <i>Bougainvillea spp.</i> | Bougainvillea | | | | | | | | |
| 2 | <i>Bougainvillea spectabilis</i> | Bougainvillea | 15 | 20 | Many bright colors | Year-round in frost-free weather | E | 28 | Brazil | |
| 2 | <i>Callaeum macropterum</i> (<i>Mascagnia macroptera</i>) | Yellow Orchid Vine | 15 | 15 | Yellow | Spring to summer | SE | 22 | Mexico | |
| | <i>Campsis radicans</i> | Common Trumpet Creeper | | | | | | | | |
| 2 | <i>Cissus trifoliata</i> | Grape Ivy | 15 | 10 | Green | Summer | SE | 20 | Southwest US and Mexico | |
| | <i>Clematis drummondii</i> | Virgin's Bower | | | | | | | | |
| | <i>Curcurbita digitata</i> | Coyote Gourd, Finger Leaf Gourd | | | | | | | | |
| | <i>Hardenbergia comptoniana</i> | Purple Coral Pea | | | | | | | Australia | |
| 2 | <i>Hardenbergia violacea</i> | Lilac Vine | 15 | 10 | Purple | Winter to spring | E | 20 | Australia | |
| | <i>Janusia gracilis</i> | Slender Janusia | | | | | | | | |
| 3 | <i>Jasminum mesnyi</i> | Primrose Jasmine | 10 | 6 | Yellow | Late winter to spring | E | 15 | Western China | Listed as shrub in PHX List |
| | <i>Kenneedia nigricans</i> | Black Yellow Vine | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| VINES | | | | | | | | | | |
|----------------------|----------------------------------|---------------------------------|----|----|----------------------|----------------------------------|----------|----------|---------------------------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE, D | Cold Tol | Origin | Comments |
| 2 | <i>Macfadyena unguis-cati</i> | Cat Claw Vine | 25 | 15 | Yellow | Spring | E | 15 | Central and South America | |
| | <i>Mascagnia lilacina</i> | Purple Mascagnia | | | | | | | | |
| | <i>Maurandya antirrhiniflora</i> | Snapdragon Vine | | | | | | | | |
| | <i>Maurandya wislizeni</i> | Snapdragon Vine | | | | | | | | |
| 2 | <i>Merremia aurea</i> | Yuca Vine | 10 | 10 | Bright yellow | Summer to fall | D | 22 | Southern Baja California | |
| 2 | <i>Passiflora foetida</i> | Baja Passion Vine, Passion vine | 10 | 10 | White and purple | Summer | SE | 25 | Baja California | |
| | <i>Podranea ricasoliana</i> | Pink Trumpet Vine | | | | | | | | |
| | <i>Rhynchosia texana</i> | Rosary Bead Vine | | | | | | | | |
| 3 | <i>Rosa banksiae</i> | Lady Banks' Rose | 20 | 15 | White or pale yellow | Spring | E | 10 | China | |
| 3 | <i>Solanum jasminoides</i> | Potato Vine | 30 | 10 | White | Year-round in frost-free weather | SE | 25 | Brazil | |

| PERENNIALS | | | | | | | | | | |
|----------------------|--------------------------------|--------------------|----|----|--------------|--------------|------------|----------|--------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Allionia incarnata</i> | Trailing Windmills | | | | | | | | |
| | <i>Amsonia palmeri</i> | Amsonia | | | | | | | | |
| | <i>Anigozanthos spp.</i> | Kangaroo-paw | | | | | | | | |
| | <i>Anigozanthos flavidus</i> | Kangaroo Paw | | | | | | | | |
| | <i>Anigozanthos manglesii</i> | Kangaroo Paw | | | | | | | | |
| | <i>Anigozanthos viridis</i> | Kangaroo Paw | | | | | | | | |
| | <i>Anisodontea hypomandrum</i> | African Mallow | | | | | | | | |
| | <i>Arctotis spp.</i> | African Daisy | | | | | | | | |
| | <i>Arctotis acaulis</i> | African Daisy | | | | | | | | |

| PERENNIALS | | | | | | | | |
|----------------------|--|---------------------------|-----|-----|------------------|------------------------------|------------|----------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Comments |
| | <i>Argemone munita</i> | Prickly Poppy | | | | | | |
| | <i>Argemone platyceras</i> | Prickly Poppy | | | | | | |
| | <i>Bahia absinthifolia</i> | Bahia | | | | | | |
| 1 | <i>Baileya multiradiata</i> | Desert Marigold | 1 | 1 | Yellow | Year-round | E | Southwest US and northern Mexico |
| 2 | <i>Berlandiera lyrata</i> | Chocolate Flower | 1 | 2 | Yellow | Spring to fall | E | Southwest US and Mexico |
| | <i>Castilleja chromosa</i> | Indian Paintbrush | | | | | | |
| | <i>Castilleja lanata</i> | Indian Paintbrush | | | | | | |
| | <i>Conoclinium greggii</i> (<i>Eupatorium greggii</i>) | Eupatorium | | | | | | |
| | <i>Coreopsis bigelovii</i> | Desert Coreopsis | 1.5 | 1.5 | Golden yellow | Early spring to early summer | E | Listed as annual in PHX List |
| | <i>Datura meteloides</i> (<i>D. wrightii</i> , <i>D. inoxia</i>) | Sacred Datura, Jimsonweed | | | | | | |
| | <i>Delphinium amabile</i> | Larkspur | | | | | | |
| | <i>Delphinium scoposum</i> | Barestem Larkspur | | | | | | |
| | <i>Dichelostemma pulchellum</i> | Bluedicks | | | | | | |
| | <i>Erigeron divergens</i> | Spreading Fleabane | 1.5 | 2 | White to pink | Spring | N/A | Listed as annual in Plants Book |
| | <i>Erigeron karvinskianus</i> | Santa Barbara Daisy | | | | | | |
| | <i>Evolvulus arizonicus</i> | Arizona Blue Eyes | | | | | | |
| 2 | <i>Gaura lindheimeri</i> | Gaura, Desert Orchid | 1 | 1.5 | White to pink | Summer to fall | SE | Southwest US and Mexico |
| | <i>Glandularia gooddingii</i> (<i>Verbena gooddingii</i>) | Goodding's Verbena | 1 | 3 | Lavender to pink | Spring | E | Listed as annual in Plants Book |
| | <i>Helianthus maximiliani</i> | Maximilian Sunflower | 10 | 2 | Yellow | Fall | | |
| | <i>Hesperocallis undulata</i> | Ajo Lily | | | | | | |
| | <i>Ipomopsis longiflora</i> | Pale Blue Trumpets | | | | | | |
| | <i>Hibiscus coulteri</i> | Desert Rose Mallow | | | | | | |
| | <i>Justicia sonorae</i> | Sonoran Justicia | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| PERENNIALS | | | | | | | | | |
|----------------------|------------------------------------|---|-------------------|-----|----------------|-----------------------|------------------------------|--------|--|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Origin | Comments |
| | <i>Linum lewisii</i> | Blue Flax | 2 | 2 | Bright blue | Spring | N/A | | Listed as annual in Plants Book |
| | <i>Lotus rigidus</i> | Desert Rock Pea | | | | | | | |
| | <i>Machaeranthera gracilis</i> | Yellow Aster | | | | | | | |
| | <i>Machaeranthera tortifolia</i> | Mohave Aster | | | | | | | |
| 1 | <i>Melampodium leucanthum</i> | Blackfoot Daisy | 1 | 2 | White | Year-round | E | 0 | Southwest US and Mexico |
| | <i>Mirabilis multiflora</i> | Desert Four O'Clock | | | | | | | |
| | | Tufted Evening Primrose | | | | | | | |
| | <i>Oenothera caespitosa</i> | | | | | | | | |
| | <i>Penstemon spp.</i> | Penstemon | | | | | | | |
| | | <i>Penstemon baccharifolius</i> | Rock Penstemon | 1 | 2 | Cherry red | Late spring into late summer | E | |
| | | <i>Penstemon barbatus</i> | Scarlet Penstemon | | | | | | |
| 2 | <i>Penstemon eatonii</i> | Firecracker Penstemon | 1 | 1.5 | Scarlet | Late winter to spring | E | 0 | Southwest US and Mexico |
| | <i>Penstemon palmeri</i> | Palmer's Penstemon | | | | | | | |
| 2 | <i>Penstemon parryi</i> | Parry's Penstemon | 1.5 | 1.5 | Hot pink | Spring | E | 15 | Southern Arizona and northwestern Mexico |
| 2 | <i>Penstemon pseudospectabilis</i> | Canyon Penstemon | 1.5 | 2 | Rose-purple | Spring | E | 0 | Southwest US |
| | <i>Penstemon spectabilis</i> | Royal Penstemon | | | | | | | |
| 2 | <i>Penstemon superbus</i> | Coral Penstemon -Am, Superb Penstemon-Suppl | 2 | 3 | Bright coral | Late spring | E | 15 | Chihuahuan Desert |
| | <i>Phlomis fruticosa</i> | Jerusalem Sage | 3 | 3 | Intense yellow | Spring to summer | E | | Listed as shrub in PHX List |
| | <i>Proboscidea altheaefolia</i> | Devil's Claw | | | | | | | |
| 1 | <i>Psilostrophe cooperi</i> | Paperflower | 1 | 2 | Yellow | Spring to fall | E | 10 | Southwest US and Mexico |
| | <i>Psilostrophe tagetina</i> | Paperflower | | | | | | | |

| PERENNIALS | | | | | | | | |
|----------------------|---|---------------------------|-------|-------|----------------------------------|---------------------|------------|-----------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Comments |
| | <i>Ratibida columnaris</i> | Mexican Hat | 2 | 1 | Yellow or maroon | Spring to fall | D | |
| | <i>Romneya coulteri</i> | Matilija Poppy | | | | | | Listed as shrub in Suppl. List |
| | <i>Salvia spp.</i> | | | | | | | Listed as shrub in Suppl. List |
| 2 | <i>Salvia clevelandii</i> | Chaparral Sage | 4 | 4 | Blue to violet | Spring to summer | E 15 | Southern and Baja California |
| | <i>Salvia farinacea</i> | Mealy Cup Sage | 1.5 | 1.5 | Blue-purple | Spring to fall | SE | Listed as groundcover in PHX List |
| | <i>Salvia greggii</i> | Autumn Sage | 2 | 2 | Red, pink, or white | Spring and fall | E | Listed as shrub in Suppl. List |
| | <i>Salvia leucantha</i> | Mexican Bush Sage | 4 | 4 | Purple | Late spring to fall | SE | Listed as shrub in Suppl. List |
| | Senna spp. (Cassia) | Senna | | | | | | Listed as shrub in Suppl. List |
| | <i>Senna covesii (Cassia covesii)</i> | Desert Senna | 1.5 | 1.5 | Bright yellow | Spring to fall | SE | |
| | Sphaeralcea spp. | Globe-mallow | | | | | | |
| 1 | <i>Sphaeralcea ambigua</i> | Globe Mallow | 3 | 3 | Orange, white, pink, or lavender | Spring | E 5 | Sonoran Desert |
| | <i>Stachys coccinea</i> | Red Mint, Betony | | | | | | |
| | <i>Tagetes spp.</i> | Marigold | | | | | | |
| | <i>Tagetes lucida</i> | Mexican Mint Marigold | | | | | | |
| | <i>Tagetes palmeri (Tagetes lemmonii)</i> | Mt. Lemmon Marigold | 3 | 3 | Orange-yellow | Fall to winter | SE | |
| | <i>Tetraneurus acaulis (Hymenoxys acaulis)</i> | Angelita Daisy | 1 | 1 | Golden yellow | Year-round | E 10 | Southwest US |
| 2 | <i>Thymophylla acerosa (Dyssodia acerosa)</i> | Dyssodia | | | | | | |
| | <i>Thymophylla pentachaeta (Dyssodia pentachaeta)</i> | Golden Dyssodia, Dyssodia | 6 in. | 6 in. | Yellow | Late spring to fall | N/A | Listed as annual in Plants Book |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| PERENNIALS | | | | | | | | | | |
|----------------------|---|--|-------|--------|---------------|-----------------------|------------|----------|-------------------------|--------------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Zauschneria californica</i> | Hummingbird Trumpet, Hummingbird Flower | 1 | 2 | Orange-red | Summer to fall | SE | | | Listed as groundcover in Suppl. List |
| | <i>Zephyranthes spp.</i> | Rain Lily | | | | | | | | |
| 2 | <i>Zephyranthes candida</i> | Rain Lily, Zephyr Flower | 1 | 1 | White | Summer | E | 20 | South America | |
| | <i>Zephyranthes citrina</i> | Fairy Lily | | | | | | | | |
| | <i>Zephyranthes grandiflora</i> | Rain Lily | | | | | | | | |
| | <i>Wedelia texana (W. hispida), Zexmania hispida</i> | Rough Zexmenia, Orange Zexmania | 2 | 3 | Orange-yellow | Late spring to summer | E | | | |
| | <i>Zinnia acerosa</i> | Desert Zinnia | 6 in. | 12 in. | White | Spring to fall | E | | | |
| 2 | <i>Zinnia grandiflora</i> | Prairie Zinnia, Rocky Mountain Zinnia | 1 | 1 | Yellow-orange | Summer to fall | SE | 10 | Southwest US and Mexico | |

| ANNUALS | | | | | | | | | | |
|----------------------|---|------------------------------|------|------|----------------|----------------------|------------|----------|--------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Abronia villosa</i> | Sand-verbena | | | | | | | | |
| | <i>Amsinckia intermedia</i> | Fiddleneck | | | | | | | | |
| | <i>Argemone pleiacantha</i> | Prickly-poppy | | | | | | | | |
| | <i>Camissonia brevipes</i> | Yellow Cups | | | | | | | | |
| | <i>Camissonia cardiophylla</i> | Heart-leaved Primrose | | | | | | | | |
| | <i>Castilleja exserta (Orthocarpus purpurascens)</i> | Owl's Clover | 6 in | 6 in | pink to purple | Early to late spring | | | | |
| | <i>Catharanthus roseus</i> | Madagascar Periwinkle | | | | | | | | |
| | <i>Centaurea rothrockii</i> | Basket Flower | | | | | | | | |
| | <i>Cirsium neomexicanum</i> | Thistle | | | | | | | | |
| | <i>Clarkia amoena</i> | Farewell-to-Spring | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| ANNUALS | | | | | | | | | |
|----------------------|--|---------------------------------|-----|-----|------------------------|------------------------------|------------|--------|------------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Origin | Comments |
| | <i>Collinsia heterophylla</i> | Chinese-houses | | | | | | | |
| | <i>Coreopsis bigelovii</i> | Desert Coreopsis | 1.5 | 1.5 | Golden yellow | Early spring to early summer | E | | Listed as perennial in Plants Book |
| | <i>Cosmos spp.</i> | Cosmos | | | | | | | |
| | <i>Cosmos bipinnatus</i> | Southwestern Cosmos | 3 | 3 | White, pink, or purple | Summer to fall | N/A | | |
| | <i>Cosmos parviflorus</i> | Yellow Cosmos | | | | | | | |
| | <i>Cosmos sulphureus</i> | African Daisy | | | | | | | |
| | <i>Dimorphotheca spp.</i> | | | | | | | | |
| | <i>Eriastrum diffusum</i> | Prickly Stars | | | | | | | |
| | <i>Erigeron divergens</i> | Spreading Fleabane | 1.5 | 2 | White to pink | Spring | N/A | | Listed as perennial in PHX List |
| | <i>Eriophyllum lanosum</i> | Woolly Daisy | | | | | | | |
| | <i>Eriophyllum wallacei</i> | Woolly Daisy | | | | | | | |
| | <i>Eschscholzia californica</i> ssp. <i>Mexicana</i> , <i>E. mexicana</i> | Mexican Gold Poppy, Calif Poppy | 1 | 1 | Yellow to Gold | Late winter to spring | N/A | | |
| | <i>Euphorbia heterophylla</i> | Painted Spurge | | | | | | | |
| | <i>Gaillardia pulchella</i> | Blanket Flower, Fire Wheel | 1.5 | 1.5 | Yellow and maroon-red | Late spring to fall | N/A | | |
| | <i>Geraea canescens</i> | Desert Sunflower | | | | | | | |
| | <i>Gilia leptantha</i> | Showy Blue Gilia | | | | | | | |
| | <i>Glandularia gooddingii</i> (<i>Verbena gooddingii</i>) | Goodding's Verbena | 1 | 3 | Lavender to pink | Spring | E | | |
| | <i>Gomphrena globosa</i> | Globe Amaranth | | | | | | | |
| | <i>Helianthus annuus</i> | Wild Sunflower | | | | | | | |
| | <i>Helianthus maximiliani</i> | Maximilian Sunflower | 10 | 2 | Yellow | Fall | N/A | | Listed as perennial in PHX List |
| | <i>Helichrysum bracteatum</i> | Everlasting Daisy | | | | | | | |
| | <i>Helipterum spp.</i> | Helipterum | | | | | | | |
| | <i>Helipterum roseum</i> | Pink Everlasting | | | | | | | |
| | <i>Ipomoea cristulata</i> | Morning Glory | | | | | | | |
| | <i>Ipomoea leptotoma</i> | Morning Glory | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| ANNUALS | | | | | | | | | | |
|----------------------|---|--|----|----|--------------|--------------|------------|----------|--------|----------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D | Cold Tol | Origin | Comments |
| | <i>Kallstroemia grandiflora</i> | Arizona Poppy Goldfield | 1 | 3 | Orange | Summer | | | | |
| | <i>Lasthenia chrysostoma</i> (<i>Baeria chrysostoma</i>) | | | | | | | | | |
| | <i>Layia platyglossa</i> | Tidy Tips | | | | | | | | |
| | <i>Lesquerella gordoni</i> | Yellow Blanket | | | | | | | | |
| | <i>Linaria spp.</i> | Toadflax | | | | | | | | |
| | <i>Linaria pinnifolia</i> | Toadflax | | | | | | | | |
| | <i>Linaria texana</i> | Toadflax | | | | | | | | |
| | <i>Linaria maroccana</i> | Toadflax | | | | | | | | |
| | <i>Linum grandiflora</i> | Red Flax | 2 | 2 | Bright red | Spring | N/A | | | |
| | <i>Linum grandiflorum</i> cv. 'Rubrum' | Red Flax | | | | | | | | |
| | <i>Linum lewisii</i> | Blue Flax | 2 | 2 | Bright blue | Spring | N/A | | | |
| | <i>Lupinus arizonicus</i> | Arizona Lupine | | | | | | | | |
| | <i>Lupinus densiflorus</i> | Lupine | | | | | | | | |
| | <i>Lupinus sparsiflorus</i> | Desert Lupine | | | | | | | | |
| | <i>Lupinus succulentus</i> | Arroyo Lupine | 3 | 3 | Violet-blue | Spring | N/A | | | |
| | <i>Machaeranthera tanacetifolia</i> (<i>Aster</i>) | Tahoka Daisy | | | | | | | | |
| | <i>Machaeranthera asterooides</i> (<i>Psilactis leptos</i>) | Purple Aster | | | | | | | | |
| | <i>Machaeranthera canescens</i> (<i>Aster bigelovii</i>) | Blue Aster | | | | | | | | |
| | <i>Matricaria grandiflora</i> | Pineapple Weed | | | | | | | | |
| | <i>Matthiola longipetala</i> cv. 'Bicornis' | Evening Scented Stock | | | | | | | | |
| | <i>Mentzelia spp.</i> | Blazing Star | | | | | | | | |
| | <i>Mentzelia involucrata</i> | Morning Stars | | | | | | | | |
| | <i>Mentzelia lindleyi</i> | Blazing Stars | | | | | | | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| ANNUALS | | | | | | | | | |
|----------------------|---------------------------------|---------------------------------|-------|--------|-----------------------------|------------------|---------------------|--------|-----------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D Cold Tol | Origin | Comments |
| | <i>Mimulus bigelovii</i> | Bigelow's Monkeyflower | | | | | | | |
| | <i>Mohavea confertiflora</i> | Ghost Flower | | | | | | | |
| | <i>Monarda austromontana</i> | Bee Balm | | | | | | | |
| | <i>Monoptilon bellidoides</i> | Belly Flower | | | | | | | |
| | <i>Nama demissum</i> | Purple Mat | | | | | | | |
| | <i>Nama hispidum</i> | Purple Mat | | | | | | | |
| | <i>Nemophila maculata</i> | Five Spot | 8 in. | 8 in. | White with purple | Spring | N/A | | |
| | <i>Nemophila menziesii</i> | Baby Blue Eyes | | | | | | | |
| | <i>Oenothera deltoides</i> | Birdcage Evening Primrose | | | | | | | |
| | <i>Oenothera primiveris</i> | Evening Primrose | | | | | | | |
| | <i>Papaver rhoeas</i> | Shirley Poppy | 2 | 1 | Red, pink or white | Spring | N/A | | |
| | <i>Pectis papposa</i> | Chinch Weed | | | | | | | |
| | <i>Perityle emoryi</i> | Rock Daisy | | | | | | | |
| | <i>Phacelia spp.</i> | Scorpion Weed | | | | | | | |
| | <i>Phacelia campanularia</i> | Desert Bluebell, Calif Bluebell | 1 | 1 | Blue | Spring | N/A | | |
| | <i>Phacelia tanacetifolia</i> | Scorpion Weed | | | | | | | |
| | <i>Plantago spp.</i> | Indian-wheat | | | | | | | |
| | <i>Plantago insularis</i> | Indian Wheat | | | | | | | |
| | <i>Platystemon californicus</i> | Cream Cups | | | | | | | |
| | <i>Portulaca grandiflora</i> | Moss Rose | 6 in. | 18 in. | Rose, red, yellow, or white | Summer to fall | N/A | | |
| | <i>Proboscidea parviflora</i> | Devil's Claw | | | | | | | |
| | <i>Rafinesquia neomexicana</i> | Desert-chicory | | | | | | | |
| | <i>Salvia spp.</i> | | | | | | | | Listed as shrub in PHX List |
| | <i>Salvia coccinea</i> | Cherry Red Sage | 1.5 | 1.5 | Deep scarlet | Spring to summer | N/A | | |
| | <i>Salvia columbariae</i> | Chia | 1 | 1 | Blue | Spring | N/A | | |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| ANNUALS | | | | | | | | |
|----------------------|--|---------------------------|-------|-------|----------------------|---------------------|----------------------------|---------------------------------|
| H ₂ O Use | Botanical Name (synonyms) | Common Name(s) | Ht | Wi | Flower Color | Bloom season | E, SE or D Cold Tol Origin | Comments |
| | <i>Sisymbrium ambiuum</i> | Purple Rocket | | | | | | |
| | <i>Solanum xanti</i> | Solanum | | | | | | |
| | <i>Thymophylla pentachaeta</i> (<i>Dyssodia pentachaeta</i>) | Golden Dyssodia, Dyssodia | 6 in. | 6 in. | Yellow | Late spring to fall | N/A | Listed as perennial in PHX List |
| | <i>Tithonia rotundifolia</i> | Mexican Sunflower | 4 | 3 | Yellow or Orange | Summer to fall | E | |
| | <i>Ursinia spp.</i> | Ursinia | | | | | | |
| | <i>Ursinia calenduliflora</i> | | | | | | | |
| | <i>Ursinia chrysanthemoides</i> | | | | | | | |
| | <i>Ursinia speciosa</i> | | | | | | | |
| | <i>Verbesina encelioides</i> | Golden Crown Beard | | | | | | |
| | <i>Viguiera annua</i> | Golden Eye | | | | | | |
| | <i>Zinnia angustifolia X elegans</i> | Zinnia 'Profusion' Series | 1.5 | 2 | Red, orange or white | Summer | E | |

Alphabetical Order by Botanical Name

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|--------------------------------------|------------|
| <i>Abutilon palmeri</i> | Superstition Mallow | Sh |
| <i>Acacia abyssinica</i> | Abyssinian Acacia | T |
| <i>Acacia aneura</i> | Mulga | T |
| <i>Acacia angustissima v. hirta</i> | Fern Acacia | Sh |
| <i>Acacia berlandieri</i> | Guajillo | T, Sh |
| <i>Acacia constricta</i> | White Thorn Acacia | T, Sh |
| <i>Acacia coriacea</i> | Desert Oak | T |
| <i>Acacia craspedocarpa</i> | Leather-Leaf Acacia | Sh, Gc |
| <i>Acacia erioloba</i> | Camel Thorn | T |
| <i>Acacia farnesiana</i> | Sweet Acacia | T |
| <i>Acacia greggii</i> | Catclaw Acacia | T |
| <i>Acacia millefolia</i> | Santa Rita Acacia | Sh |
| <i>Acacia minuta</i> - see <i>A. farnesiana</i> | | |
| <i>Acacia notabilis</i> | Notable Wattle, Mallee Golden Wattle | Sh |
| <i>Acacia redolens</i> | Trailing Acacia cv. 'Desert Carpet' | Gc |
| <i>Acacia rigens</i> | Needle Acacia | Sh |
| <i>Acacia rigidula</i> | Blackbrush Acacia | T, Sh |
| <i>Acacia salicina</i> | Willow Acacia | T |
| <i>Acacia schaffneri</i> | Twisted Acacia | Sh, Gc |
| <i>Acacia smallii</i> - see <i>A. farnesiana</i> | | |
| <i>Acacia</i> spp. | Acacia, Wattle | T, Gc |
| <i>Acacia stenophylla</i> | Shoestring Acacia | T |
| <i>Acacia willardiana</i> | Palo Blanco | T |
| <i>Acalypha monostachya</i> | Raspberry Fuzzies | Gc |
| <i>Agave americana</i> | Century Plant | C/S/Ac |
| <i>Agave bovicornuta</i> | Lechuguilla Verde, Cow's Horn | C/S/Ac |
| <i>Agave colorata</i> | Mescal Ceniza | C/S/Ac |
| <i>Agave desmettiana</i> | Smooth Agave | C/S/Ac |
| <i>Agave geminiflora</i> | Twin-flowered Agave | C/S/Ac |
| <i>Agave murpheyi</i> | Murphy's Agave | C/S/Ac |
| <i>Agave parryi</i> | Parry's Agave | C/S/Ac |
| <i>Agave victoriae-reginae</i> | Royal Agave | C/S/Ac |
| <i>Agave vilmoriniana</i> | Octopus Agave | C/S/Ac |
| <i>Agave weberi</i> | Weber's Agave | C/S/Ac |
| <i>Aizoaceae</i> | Ice Plant Family | C/S/Ac |
| <i>Aizoaceae</i> spp. | Ice Plant Family | Gc |
| <i>Allionia incarnata</i> | Trailing Windmills | P |
| <i>Aloe dawei</i> | Dawe's Aloe | C/S/Ac |
| <i>Aloe ferox</i> | Tree Aloe, Cape Aloe | C/S/Ac |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|----------------------------|------------|
| <i>Aloe marlothii</i> | Mountain Aloe | C/S/Ac |
| <i>Aloe saponaria</i> | Tiger Aloe | C/S/Ac |
| <i>Aloe spp.</i> | Aloe | C/S/Ac |
| <i>Aloe striata</i> | Coral Aloe | C/S/Ac |
| <i>Aloe variegata</i> | Partridge Breast Aloe | C/S/Ac |
| <i>Aloe vera</i> | Medicinal Aloe | C/S/Ac |
| <i>Aloysia gratissima</i> | Bee Brush | Sh |
| <i>Aloysia macrostachya</i> | Sweet-stem | Sh |
| <i>Aloysia spp.</i> | Beebrush | Sh |
| <i>Aloysia wrightii</i> | Oreganillo | Sh |
| <i>Ambrosia ambrosioides</i> | Canyon Ragweed | Sh |
| <i>Ambrosia deltoidea</i> | Triangleleaf Bursage | Sh |
| <i>Ambrosia dumosa</i> | White Bur-sage | Sh |
| <i>Amsinckia intermedia</i> | Fiddleneck | An |
| <i>Amsonia palmeri</i> | Amsonia | P |
| <i>Anigozanthos flavidus</i> | Kangaroo Paw | P |
| <i>Anigozanthos manglesii</i> | Kangaroo Paw | P |
| <i>Anigozanthos spp.</i> | Kangaroo-paw | P |
| <i>Anigozanthos viridis</i> | Kangaroo Paw | P |
| <i>Anisacanthus andersonii</i> | Anderson's Honeysuckle | Sh |
| <i>Anisacanthus quadrifidus</i> | Flame Honeysuckle | Sh |
| <i>Anisacanthus spp.</i> | Desert Honeysuckle | Sh |
| <i>Anisacanthus thurberi</i> | Desert Honeysuckle | Sh |
| <i>Anisodontea hypomandrum</i> | African Mallow | P |
| <i>Antigonon leptopus</i> | Queen's Wreath, Coral Vine | V |
| <i>Arctotis acaulis</i> | African Daisy | P |
| <i>Arctotis spp.</i> | African Daisy | P |
| <i>Argemone munita</i> | Prickly Poppy | P |
| <i>Argemone platyceras</i> | Prickly Poppy | P |
| <i>Argemone pleiacantha</i> | Prickly-poppy | An |
| <i>Aristida purpurea</i> | Purple Three-awn | Gr |
| <i>Artemesia ludoviciana</i> | White Sage | Sh |
| <i>Artemisia spp.</i> | Sagebrush | Sh |
| <i>Asclepias linaria</i> | Pine-leaf Milkweed | Sh |
| <i>Asclepias subulata</i> | Desert Milkweed | Sh, C/S/Ac |
| <i>Asparagus densiflorus</i> cv. 'Sprenger'i | Sprenger Asparagus | Gc |
| <i>Atriplex canescens</i> | Fourwing Saltbush | Sh |
| <i>Atriplex hymenelytra</i> | Desert Holly | Sh |
| <i>Atriplex lentiformis</i> | Quail Bush | Sh |
| <i>Atriplex nummularia</i> | Old Man Saltbush | Sh |
| <i>Atriplex semibaccata</i> | Australian Saltbush | Gc |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|---------------------------------|------------|
| <i>Atriplex</i> spp. | Saltbush | Sh, Gc |
| <i>Baccharis hybrid</i> | Trailing Desert Broom | Gc |
| <i>Baccharis pilularis</i> | Coyote Brush | Gc |
| <i>Baccharis sarothroides</i> | Desert Broom | Sh |
| <i>Baccharis</i> spp. | Desert Broom, Coyote Brush | Sh |
| <i>Baccharis</i> v. 'Centennial' | Centennial Baccharis | Gc |
| <i>Baeria chrysostoma</i> - see <i>Lasthenia chrysostoma</i> | | |
| <i>Bahia absinthifolia</i> | Bahia | P |
| <i>Bahiopsis parishii</i> | Golden Eye, Parish's Golden Eye | Sh |
| <i>Baileya multiradiata</i> | Desert Marigold | P |
| <i>Bauhinia congesta</i> - see <i>B. lunarioides</i> | | |
| <i>Bauhinia lunarioides</i> | Anacacho | Sh, T |
| <i>Bauhinia macarathera</i> | Orchid Tree | Sh |
| <i>Bauhinia mexicana</i> | Orchid Tree | T |
| <i>Bauhinia ramosissima</i> | Orchid Tree | Sh |
| <i>Bebbia juncea</i> | Sweet Bush | Sh |
| <i>Berberis haematocarpa</i> | Red Barberry | Sh |
| <i>Berberis trifoliolata</i> | Barberry | Sh |
| <i>Berlandiera lyrata</i> | Chocolate Flower | P |
| <i>Bothriochloa barbinodis</i> | Cane Bluestem | Gr |
| <i>Bothriochloa gerardii</i> | Big Bluestem | Gr |
| <i>Bougainvillea spectabilis</i> | Bougainvillea | V |
| <i>Bouteloua aristidoides</i> | Six-weeks Grama | Gr |
| <i>Bouteloua curtipendula</i> | Sideoats Grama | Gr |
| <i>Bouteloua gracilis</i> | Blue Grama | Gr |
| <i>Brachychiton populneus</i> | Bottle Tree | T |
| <i>Brahea armata</i> | Mexican Blue Palm | T |
| <i>Brahea edulis</i> | Guadalupe Palm | T |
| <i>Brahea</i> spp. | Fan Palm | T |
| <i>Buddleja marrubiifolia</i> | Woolly Butterfly Bush | Sh |
| <i>Bulbine frutescens</i> | Yellow Bulbine, Bulbine | C/S/Ac |
| <i>Bursera hindsiana</i> | Copal | T |
| <i>Bursera microphylla</i> | Elephant Tree | T |
| <i>Bursera</i> spp. | Elephant Tree | T |
| <i>Butia capitata</i> | Jelly Palm | T |
| Cactaceae | Cactus Family | C/S/Ac |
| <i>Caesalpinia cacalaco</i> | Cascalote | T |
| <i>Caesalpinia gilliesii</i> | Yellow Bird of Paradise | Sh |
| <i>Caesalpinia mexicana</i> | Mexican Bird of Paradise | Sh |
| <i>Caesalpinia pulcherrima</i> | Red Bird of Paradise | Sh |
| <i>Caesalpinia</i> spp. | Bird-of-Paradise | T |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|-------------------------------------|------------|
| <i>Callaeum macropterum</i> | Yellow Orchid Vine | V |
| <i>Calliandra californica</i> | Baja Fairy Duster, Red Fairy Duster | Sh |
| <i>Calliandra eriophylla</i> | Pink Fairy Duster | Sh |
| <i>Calliandra peninsularis</i> | Fairy Duster | Sh |
| <i>Callistemon citrinus</i> | Lemon Bottlebrush | Sh |
| <i>Callistemon phoeniceus</i> | Salt Resistant Bottlebrush | Sh |
| <i>Callistemon</i> spp. | Bottlebrush | T |
| <i>Callistemon viminalis</i> | Bottlebrush | Sh |
| <i>Calothamnus quadrifidus</i> | One-sided Bottlebrush | Sh |
| <i>Calothamnus</i> spp. | Net Bush | Sh |
| <i>Calothamnus villosus</i> | Woolly Netbush | Sh |
| <i>Calylophus hartwegii</i> v. <i>fendleri</i> | Sundrops | Gc |
| <i>Camissonia brevipes</i> | Yellow Cups | An |
| <i>Camissonia cardiophylla</i> | Heart-leaved Primrose | An |
| <i>Campsis radicans</i> | Common Trumpet Creeper | V |
| <i>Canotia holacantha</i> | Crucifixion Thorn | T |
| <i>Carnegiea gigantea</i> | Saguaro | C/S/Acc |
| <i>Carpobrotus chilensis</i> | Ice Plant | C/S/Acc |
| <i>Carpobrotus edulis</i> | Hottentot Fig | C/S/Acc |
| <i>Cassia artemisioides</i> - see <i>Senna artemisioides</i> | | |
| <i>Cassia biflora</i> - see <i>Senna pallida</i> | | |
| <i>Cassia covesii</i> - see <i>Senna covesii</i> | | |
| <i>Cassia goldmannii</i> - see <i>Senna polycantha</i> | | Sh |
| <i>Cassia nemophila</i> - see <i>Senna nemophila</i> | | |
| <i>Cassia phyllodinea</i> - see <i>Senna phyllodinea</i> | | |
| <i>Cassia</i> spp. - see <i>Senna</i> spp. | | |
| <i>Cassia wislizenii</i> - see <i>Senna wislizenii</i> | | |
| <i>Castela emoryi</i> | Crucifixion Thorn | T |
| <i>Castela emoryi</i> | Crucifixion Thorn | T |
| <i>Castilleja chromosa</i> | Indian Paintbrush | P |
| <i>Castilleja exserta</i> | Owl's Clover | An |
| <i>Castilleja lanata</i> | Indian Paintbrush | P |
| <i>Casuarina cunninghamiana</i> | River She Oak | T |
| <i>Casuarina equisetifolia</i> | Horsetail Tree | T |
| <i>Casuarina</i> spp. | Beefwood | T |
| <i>Casuarina stricta</i> | Coast Beefwood | T |
| <i>Catharanthus roseus</i> | Madagascar Periwinkle | An |
| <i>Celtis pallida</i> | Desert Hackberry | Sh |
| <i>Celtis reticulata</i> | Canyon Hackberry | T |
| <i>Centaurea rothrockii</i> | Basket Flower | An |
| <i>Cephalophyllum alstonii</i> 'Red Spike' | Red Spike Ice Plant | C/S/Ac |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|-----------------------------------|------------|
| <i>Ceratonia siliqua</i> | St. John's Bread Tree, Carob Tree | T |
| <i>Cercidium floridum</i> - see <i>Parkinsonia florida</i> | | |
| <i>Cercidium microphyllum</i> - see <i>Parkinsonia microphylla</i> | | |
| <i>Cercidium praecox</i> - see <i>Parkinsonia praecox</i> | | |
| <i>Cercis canadensis</i> var. <i>mexicana</i> | Mexican Redbud | T |
| <i>Cercis canadensis</i> var. <i>texensis</i> | Texas Redbud | T |
| <i>Cerdidium</i> spp. - see <i>Parkinsonia</i> spp. | | |
| <i>Cereus hildmannianus</i> | Hildmann's Cereus | C/S/Ac |
| <i>Chamaerops humilis</i> | Mediterranean Fan Palm | T |
| <i>Chilopsis linearis</i> | Desert Willow | T |
| <i>Chitalpa tashkentensis</i> | Chitalpa | T |
| <i>Ceiba speciosa</i> | Silk Floss Tree | T |
| <i>Chrysactinia mexicana</i> | Damianita | Sh, Gc |
| <i>Chrysothamnus nauseosus</i> | Rabbit Brush | Sh |
| <i>Cirsium neomexicanum</i> | Thistle | An |
| <i>Cissus trifoliata</i> | Grape Ivy | V |
| <i>Cistus incanus</i> | Rockrose | Sh |
| <i>Cistus</i> spp. | Rockrose | Sh |
| <i>Cistus villosus</i> - see <i>C. incanus</i> | | |
| <i>Clarkia amoena</i> | Farewell-to-Spring | An |
| <i>Clematis drummondii</i> | Virgin's Bower | V |
| <i>Clanthus formosus</i> | Sturt's Desert Pea | Gc |
| <i>Collinsia heterophylla</i> | Chinese-houses | An |
| <i>Condalia globosa</i> | Bitter Condalia | Sh |
| <i>Conoclinium greggii</i> | Eupatorium | P |
| <i>Convolvulus cneorum</i> | Bush Morning Glory, Silverbush | Sh, Gc |
| <i>Convolvulus mauritanicus</i> | Ground Morning Glory | Gc |
| <i>Cordia boissieri</i> | Texas Olive, Anacahuita | Sh |
| <i>Cordia parvifolia</i> | Little-Leaf Cordia | Sh |
| <i>Coreopsis bigelovii</i> | Desert Coreopsis | P, An |
| <i>Cosmos bipinnatus</i> | Southwestern Cosmos | An |
| <i>Cosmos parviflorus</i> | Southwestern Cosmos | An |
| <i>Cosmos</i> spp. | Cosmos | An |
| <i>Cosmos sulphureus</i> | Yellow Cosmos | An |
| <i>Coursetia glandulosa</i> | Baby Bonnes | Sh |
| <i>Cupressus arizonica</i> | Arizona Cypress | T |
| <i>Cupressus sempervirens</i> | Italian Cypress | T |
| <i>Curcurbita digitata</i> | Coyote Gourd, Finger Leaf Gourd | V |
| <i>Cycas revoluta</i> | Sago Palm | Sh, C/S/Ac |
| <i>Dalbergia sissoo</i> | Indian Rosewood, Sissoo Tree | T |
| <i>Dalea bicolor</i> var. <i>argyraea</i> | Silver Dalea | Sh |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|---|------------|
| <i>Dalea frutescens</i> | Black Dalea | Sh |
| <i>Dalea greggii</i> | Trailing Dalea | Gc |
| <i>Dalea pulchra</i> | Bush Dalea -Am, Indigo bush-suppl | Sh |
| <i>Dalea</i> spp. | Smoketree, Indigo Bush | Sh, Gc |
| <i>Dalea versicolor</i> | Weeping Dalea | Sh |
| <i>Dalea versicolor</i> var. <i>sessilis</i> | Wislizenus Dalea | Sh |
| <i>Dasyliion acrotriche</i> | Green Desert Spoon | C/S/Ac |
| <i>Dasyliion longissimum</i> | Grass Tree | C/S/Ac |
| <i>Dasyliion</i> spp. | Desert Spoon | C/S/Ac |
| <i>Dasyliion wheeleri</i> | Desert Spoon, Sotol | C/S/Ac |
| <i>Datura inoxia</i> - see <i>D. metaloides</i> | | |
| <i>Datura metaloides</i> | Sacred Datura, Jimsonweed | P |
| <i>Datura wrightii</i> - see <i>D. metaloides</i> | | |
| <i>Delphinium amabile</i> | Larkspur | P |
| <i>Delphinium scaposum</i> | Barestem Larkspur | P |
| <i>Dichelostemma pulchellum</i> | Bluedicks | P |
| <i>Dicliptera resupinanta</i> | Native Dicliptera | Sh |
| <i>Dimorphotheca</i> spp. | African Daisy | An |
| <i>Dodonaea viscosa</i> | Hop Bush | Sh |
| <i>Drosanthemum speciosum</i> | Dewflower | C/S/Ac |
| <i>Dyssodia acerosa</i> - see <i>Thymophylla acerosa</i> | | |
| <i>Dyssodia pentachaeta</i> - see <i>Thymophylla pentachaeta</i> | | |
| <i>Ebenopsis ebano</i> | Texas Ebony | T |
| <i>Ebenopsis</i> spp. (<i>Pithecellobium</i> spp.) | Ebony | T |
| <i>Echinocactus grusonii</i> | Golden Barrel | C/S/Ac |
| <i>Echinocereus engelmannii</i> | Engelmann's Hedgehog | C/S/Ac |
| <i>Encelia farinosa</i> | Brittlebush | Sh |
| <i>Encelia</i> spp. | Brittlebush | Sh |
| <i>Ephedra nevadensis</i> | Desert Tea | Sh |
| <i>Ephedra nevadensis</i> var. <i>aspera</i> | Boundary Ephedra | Sh |
| <i>Ephedra</i> spp. | Mormon-tea | Sh |
| <i>Ephedra trifurca</i> | Mormon Tea | Sh |
| <i>Eremophila glabra</i> | Spotted Emu Bush | Sh |
| <i>Eremophila maculata</i> | Red Eremophila, Emu bush | Sh |
| <i>Eremophila</i> spp. | Emu Bush | Sh |
| <i>Eriastrum diffusum</i> | Prickly Stars | An |
| <i>Ericameria laricifolia</i> | Turpentine Bush | Sh |
| <i>Ericameria linearifolia</i> | Turpentine Bush, Narrowleaf Goldenbush | Sh |
| <i>Erigeron divergens</i> | Spreading Fleabane | P, An |
| <i>Erigeron karvinskianus</i> | Santa Barbara Daisy | P |
| <i>Eriogonum fasciculatum</i> | Flattop Buckwheat, California Buckwheat | Sh |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|---------------------------------|------------|
| <i>Eriogonum</i> spp. | Buckwheat | Sh |
| <i>Erioneuron pulchellum</i> | Fluffgrass | Gr |
| <i>Eriophyllum lanosum</i> | Woolly Daisy | An |
| <i>Eriophyllum wallacei</i> | Woolly Daisy | An |
| <i>Erythrina flabelliformis</i> | Southwest Coralbean | Sh |
| <i>Eschscholzia californica</i> ssp. <i>Mexicana</i> , <i>E. mexicana</i> | Mexican Gold Poppy, Calif Poppy | An |
| <i>Eucalyptus erythrocorys</i> | Red-cap Gum | T |
| <i>Eucalyptus formani</i> | Forman's Eucalyptus | T |
| <i>Eucalyptus leucoxylon</i> | White Ironbark | T |
| <i>Eucalyptus microtheca</i> | Coolibah | T |
| <i>Eucalyptus papuana</i> | Ghost Gum | T |
| <i>Eucalyptus populnea</i> | Poplar-leaf Eucalyptus | T |
| <i>Eucalyptus spathulata</i> | Narrow-leaf Gimlet | T |
| <i>Eucalyptus</i> spp. | Eucalyptus | T |
| <i>Eucalyptus torquata</i> | Coral Gum | T |
| <i>Eupatorium greggii</i> - see <i>Conoclinium greggii</i> | | |
| <i>Euphorbia antisyphilitica</i> | Candelilla, Wax Plant | Sh, C/S/Ac |
| <i>Euphorbia heterophylla</i> | Painted Spurge | An |
| <i>Euphorbia rigida</i> | Blue Euphorbia | Gc |
| <i>Euphorbia rigida</i> (<i>E. biglandulosa</i>) | Euphorbia | Sh |
| <i>Euphorbia tirucalli</i> | Fire Stick | Sh |
| <i>Evolvulus arizonicus</i> | Arizona Blue Eyes | P |
| <i>Eysenhardtia orthocarpa</i> | Kidneywood | T |
| <i>Feijoa sellowiana</i> | Pineapple Guava | Sh |
| <i>Ferocactus acanthodes</i> | Compass Barrel | C/S/Ac |
| <i>Ferocactus cylindraceus</i> | Compass Barrel | C/S/Ac |
| <i>Ferocactus wislizenii</i> | Fishhook Barrel | C/S/Ac |
| <i>Forestiera neomexicana</i> | Desert Olive | Sh |
| <i>Fouquieria macdougalii</i> | Chunari | C/S/Ac |
| <i>Fouquieria splendens</i> | Ocotillo | C/S/Ac |
| <i>Fouquieria</i> spp. | Ocotillo | C/S/Ac |
| <i>Fraxinus greggii</i> | Little-Leaf Ash | Sh |
| <i>Gaillardia pulchella</i> | Blanket Flower, Fire Wheel | An |
| <i>Gaura lindheimeri</i> | Gaura, Desert Orchid | P |
| <i>Gazania rigens</i> | Trailing Gazania | Gc |
| <i>Gazania</i> spp. | Gazania | Gc |
| <i>Geijera parviflora</i> | Australian-willow | T |
| <i>Genista hispanica</i> | Spanish Broom | Sh |
| <i>Geraea canescens</i> | Desert Sunflower | An |
| <i>Gilia leptantha</i> | Showy Blue Gilia | An |
| <i>Glandularia bipinnatifida</i> (<i>Verbena bipinnatifida</i>) | Verbena | Gc |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|--|------------|
| <i>Glandularia gooddingii</i> (<i>Verbena gooddingii</i>) | Goodding's Verbena | An, P |
| <i>Glandularia peruviana</i> (<i>Verbena peruviana</i>) | Peruvian Verbena | Gc |
| <i>Glandularia pulchella</i> | Moss Verbena | P |
| <i>Glandularia rigida</i> (<i>Verbena rigida</i>) | Sandpaper verbena | Gc |
| <i>Glandularia tenera</i> (<i>Verbena tenera</i>) | Latin Mock Vervain | Gc |
| <i>Gleditsia triacanthos</i> | Honey Locust, Crucifixion Thorn | T |
| <i>Gomphrena globosa</i> | Globe Amaranth | An |
| <i>Gossypium harknessii</i> | San Marcos Hibiscus | Sh |
| <i>Guaiacum coulteri</i> | Guayacan | Sh |
| <i>Gutierrezia sarothrae</i> | Snakeweed | Sh |
| <i>Hamelia patens</i> | Firecracker Bush, Fire Bush | Sh |
| <i>Hardenbergia comptoniana</i> | Purple Coral Pea | V |
| <i>Hardenbergia violacea</i> | Lilac Vine | V |
| <i>Havardia mexicana</i> (<i>Pithecellobium mexicanum</i>) | Mexican Ebony, Palo Chino | T |
| <i>Havardia pallens</i> (<i>Pithecellobium pallens</i>) | Tenaza, Ape's Earring | T |
| <i>Hechtia montana</i> | Hechtia | C/S/Ac |
| <i>Helianthus annuus</i> | Wild Sunflower | An |
| <i>Helianthus maximiliani</i> | Maximilian Sunflower | P, An |
| <i>Helichrysum bracteatum</i> | Everlasting Daisy | An |
| <i>Helipterum roseum</i> | Pink Everlasting | An |
| <i>Helipterum spp.</i> | Helipterum | An |
| <i>Hesperaloe campanula</i> | Bell Flower | C/S/Ac |
| <i>Hesperaloe funifera</i> | Giant Hesperaloe, Coahuilan Hesperaloe | C/S/Ac |
| <i>Hesperaloe nocturna</i> | Night-blooming Hesperaloe | C/S/Ac |
| <i>Hesperaloe parviflora</i> | Red Hesperaloe, Red Yucca | C/S/Ac |
| <i>Hesperaloe spp.</i> | Hesperaloe | C/S/Ac |
| <i>Hesperocallis undulata</i> | Ajo Lily | P |
| <i>Hibiscus coulteri</i> | Desert Rose Mallow | P |
| <i>Hilaria rigida</i> | Big Galleta | Gr |
| <i>Holacantha emoryi</i> - see <i>Castela emoryi</i> | | |
| <i>Hymenoclea monogyna</i> | Burrobrush | Sh |
| <i>Hymenoxys acaulis</i> - see <i>Tetraneuris acaulis</i> | | |
| <i>Hyptis emoryi</i> | Desert Lavender | Sh |
| <i>Ipomoea cristulata</i> | Morning Glory | An |
| <i>Ipomoea leptotoma</i> | Morning Glory | An |
| <i>Ipomopsis longiflora</i> | Pale Blue Trumpets | P |
| <i>Janusia gracilis</i> | Slender Janusia | V |
| <i>Jasminum mesnyi</i> | Primrose Jasmine | Sh, V |
| <i>Jatropha cardiophylla</i> | Limberbush | Sh |
| <i>Jatropha cinerea</i> | Lomboy | Sh |
| <i>Jatropha dioica</i> | Leatherstem | Sh |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|--|------------|
| <i>Jatropha</i> spp. | Limberbush | Sh |
| <i>Juniperus chinensis</i> varieties | Juniper | Sh |
| <i>Justicia californica</i> | Chuparosa | Sh |
| <i>Justicia candicans</i> | Red Justicia | Sh |
| <i>Justicia sonorae</i> | Sonoran Justicia, Palm Canyon Justicia | P, Sh |
| <i>Justicia spicigera</i> | Mexican Honeysuckle | Sh |
| <i>Justicia</i> spp. | Mexican Honeysuckle, Chuparosa | Sh |
| <i>Kallstroemia grandiflora</i> | Arizona Poppy | An |
| <i>Kennedia nigricans</i> | Black Yellow Vine | V |
| <i>Krameria parvifolia</i> | Ratany | Sh |
| <i>Lantana</i> hybrid | Lantana | Gc |
| <i>Lantana montevidensis</i> | Trailing Lantana | Gc |
| <i>Lantana</i> spp. | Lantana | Sh |
| <i>Larrea tridentata</i> | Creosote Bush | Sh |
| <i>Lasthenia chrysostoma</i> (<i>Baeria chrysostoma</i>) | Goldfield | An |
| <i>Layia platyglossa</i> | Tidy Tips | An |
| <i>Lesquerella gordoni</i> | Yellow Blanket | An |
| <i>Leucaena retusa</i> | Golden Ball Lead Tree | T |
| <i>Leucophyllum candidum</i> | Violet Silverleaf v. Silver Sage or Silver Cloud | Sh |
| <i>Leucophyllum frutescens</i> | Texas Sage, cv. Green Cloud, White Cloud or Compacta | Sh |
| <i>Leucophyllum laevigatum</i> | Chihuahuan Sage | Sh |
| <i>Leucophyllum langmaniae</i> | Langman's Sage, Sierra Madre Sage | Sh |
| <i>Leucophyllum pruinatum</i> | Fragrant Sage | Sh |
| <i>Leucophyllum</i> spp. | Texas Sage, Texas Ranger | Sh |
| <i>Leucophyllum zygophyllum</i> | Blue Ranger | Sh |
| <i>Linaria maroccana</i> | Toadflax | An |
| <i>Linaria pinnifolia</i> | Toadflax | An |
| <i>Linaria</i> spp. | Toadflax | An |
| <i>Linaria texana</i> | Toadflax | An |
| <i>Linum grandiflora</i> | Red Flax | An |
| <i>Linum grandiflorum</i> cv. 'Rubrum' | Red Flax | An |
| <i>Linum lewisii</i> | Blue Flax | P, An |
| <i>Lippia graveolens</i> (<i>L. berlandieri</i>) | Mexican Oregano | Sh |
| <i>Lophocereus schottii</i> | Senita, Totem Pole | C/S/Ac |
| <i>Lotus rigidus</i> | Desert Rock Pea | P |
| <i>Lupinus arizonicus</i> | Arizona Lupine | An |
| <i>Lupinus densiflorus</i> | Lupine | An |
| <i>Lupinus sparsiflorus</i> | Desert Lupine | An |
| <i>Lupinus succulentus</i> | Arroyo Lupine | An |
| <i>Lycium andersonii</i> | Anderson Thornbush | Sh |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|---------------------------|------------|
| <i>Lycium brevipes</i> | Frutilla | Sh |
| <i>Lycium fremontii</i> | Wolfberry | Sh |
| <i>Lycium spp.</i> | Wolfberry | Sh |
| <i>Lysiloma candida</i> | Palo Blanco | T |
| <i>Lysiloma microphylla</i> | Feather Bush | T |
| <i>Lysiloma microphylla</i> var. <i>thornberi</i> | Desert Fern | T |
| <i>Lysiloma spp.</i> | Desert-fern | T |
| <i>Macfadyena unguis-cati</i> | Cat Claw Vine | V |
| <i>Machaeranthera asteroides</i> (<i>Psilactis leptos</i>) | Purple Aster | An |
| <i>Machaeranthera canescens</i> (<i>Aster bigelovii</i>) | Blue Aster | An |
| <i>Machaeranthera gracilis</i> | Yellow Aster | P |
| <i>Machaeranthera tanacetifolia</i> (<i>Aster</i>) | Tahoka Daisy | An |
| <i>Machaeranthera tortifolia</i> | Mohave Aster | P |
| <i>Maireana sedifolia</i> | Bluebush | Sh |
| <i>Malephora crocea</i> | Gray Ice Plant, Ice Plant | Gc, C/S/Ac |
| <i>Malpighia emarginata</i> | Barbados Cherry | Sh |
| <i>Manfreda maculosa</i> | Manfreda | C/S/Ac |
| <i>Mascagnia lilacina</i> | Purple Mascagnia | V |
| <i>Mascagnia macroptera</i> - See <i>Callaeum macropterum</i> | | |
| <i>Matricaria grandiflora</i> | Pineapple Weed | An |
| <i>Matthiola longipetala</i> cv. 'Bicornis' | Evening Scented Stock | An |
| <i>Maurandya antirrhiniflora</i> | Snapdragon Vine | V |
| <i>Maurandya wislizeni</i> | Snapdragon Vine | V |
| <i>Maytenus phyllanthoides</i> | Mangle Dulce | Sh |
| <i>Melaleuca spp.</i> | Australian Myrtle | Sh |
| <i>Melampodium leucanthum</i> | Blackfoot Daisy | P |
| <i>Mentzelia involucrata</i> | Morning Stars | An |
| <i>Mentzelia lindleyi</i> | Blazing Stars | An |
| <i>Mentzelia spp.</i> | Blazing Star | An |
| <i>Merremia aurea</i> | Yuca Vine | V |
| <i>Mesembryanthemum crystallinum</i> | Common Ice Plant | C/S/Ac |
| <i>Mimosa biuncifera</i> | Wait-a-Minute Bush | Sh |
| <i>Mimosa dysocarpa</i> | Velvet Pod Mimosa | Sh |
| <i>Mimulus bigelovii</i> | Bigelow's Monkeyflower | An |
| <i>Mirabilis multiflora</i> | Desert Four O'Clock | P |
| <i>Mohavea confertiflora</i> | Ghost Flower | An |
| <i>Monarda austromontana</i> | Bee Balm | An |
| <i>Monoptilon belliodoides</i> | Belly Flower | An |
| <i>Muhlenbergia capillaris</i> | Pink Muhly, Gulf Muhly | Gr |
| <i>Muhlenbergia dumosa</i> | Bamboo Muhly, Giant Muhly | Gr |
| <i>Muhlenbergia emersleyi</i> | Bull Grass | Gr |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|--|------------|
| <i>Muhlenbergia lindheimeri</i> | Lindheimer Muhly | Gr |
| <i>Muhlenbergia porteri</i> | Bush Muhly | Gr |
| <i>Muhlenbergia rigens</i> | Deer Grass | Gr |
| <i>Muhlenbergia rigida</i> | Purple Muhly | Gr |
| <i>Myoporum parvifolium</i> | Myoporum | Gc |
| <i>Myrtillocactus geometrizans</i> | Blue Myrtle Cactus | C/S/Ac |
| <i>Myrtus communis</i> | Myrtle | Sh |
| <i>Nama demissum</i> | Purple Mat | An |
| <i>Nama hispidum</i> | Purple Mat | An |
| <i>Nandina domestica</i> | Heavenly-bamboo | Sh |
| <i>Nasella tenuissa (Stipa tenuissima)</i> | Mexican Feather Grass, Mexican Thread Grass | Gr |
| <i>Nemophila maculata</i> | Five Spot | An |
| <i>Nemophila menziesii</i> | Baby Blue Eyes | An |
| <i>Nerium oleander</i> | Oleander | Sh |
| <i>Nolina matapensis</i> | Tree Bear Grass | C/S/Ac |
| <i>Nolina microcarpa</i> | Beargrass | C/S/Ac |
| <i>Nolina spp.</i> | Beargrass | C/S/Ac |
| <i>Oenothera berlandieri (O. speciosa)</i> | Mexican Evening Primrose | Gc |
| <i>Oenothera caespitosa</i> | Tufted Evening Primrose | Gc, P |
| <i>Oenothera deltoides</i> | Birdcage Evening Primrose | An |
| <i>Oenothera primiveris</i> | Evening Primrose | An |
| <i>Oenothera stubbei</i> | Saltillo Primrose | Gc |
| <i>Olea europaea</i> | Fruitless Olive, Fruitless Olive Tree | T |
| <i>Olneya tesota</i> | Ironwood | T |
| <i>Opuntia acanthocarpa</i> | Buckhorn Cholla | C/S/Ac |
| <i>Opuntia basilaris</i> | Beavertail Prickly Pear | C/S/Ac |
| <i>Opuntia bigelovii</i> | Teddy Bear Cholla | C/S/Ac |
| <i>Opuntia engelmannii</i> | Desert PricklyPear, Engelmann's Prickly Pear | C/S/Ac |
| <i>Opuntia ficus-indica</i> | Indian Fig | C/S/Ac |
| <i>Opuntia robusta</i> | Giant Prickly Pear | C/S/Ac |
| <i>Opuntia santa-rita</i> | Purple Prickly Pear | C/S/Ac |
| <i>Opuntia violacea</i> | Purple Prickly Pear | C/S/Ac |
| <i>Pachycereus marginatus</i> | Mexican Fencepost | C/S/Ac |
| <i>Papaver rhoes</i> | Shirley Poppy | An |
| <i>Parkinsonia aculeata</i> | Mexican Palo Verde, Jerusalem Thorn | T |
| <i>Parkinsonia florida</i> | Blue Palo Verde | T |
| <i>Parkinsonia hybrid</i> | Hybrid Palo Verde | T |
| <i>Parkinsonia microphylla</i> | Foothills Palo Verde | T |
| <i>Parkinsonia praecox</i> | Palo Brea, Sonoran Palo Verde | T |
| <i>Parkinsonia spp. (Cerdidium spp.)</i> | Palo Verde | T |
| <i>Passiflora foetida</i> | Baja Passion Vine, Passion vine | V |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|---|------------|
| <i>Pectis papposa</i> | Chinch Weed | An |
| <i>Pedilanthus macrocarpus</i> | Slipper Flower, Lady Slipper | C/S/Ac |
| <i>Pennisetum setaceum</i> cv. 'Cupreum' | Purple Fountain Grass | Gr |
| <i>Penstemon baccharifolius</i> | Rock Penstemon | P |
| <i>Penstemon barbatus</i> | Scarlet Penstemon | P |
| <i>Penstemon eatonii</i> | Firecracker Penstemon | P |
| <i>Penstemon palmeri</i> | Palmer's Penstemon | P |
| <i>Penstemon parryi</i> | Parry's Penstemon | P |
| <i>Penstemon pseudospectabilis</i> | Canyon Penstemon | P |
| <i>Penstemon spectabilis</i> | Royal Penstemon | P |
| <i>Penstemon</i> spp. | Penstemon | P |
| <i>Penstemon superbus</i> | Coral Penstemon, Superb Penstemon | P |
| <i>Pentzia incana</i> | Karoo Bush | Gc |
| <i>Perityle emoryi</i> | Rock Daisy | An |
| <i>Perovskia atriplicifolia</i> cv. 'Heavenly Blue' | Russian Sage | Sh |
| <i>Phacelia campanularia</i> | Desert Bluebell, California Bluebell | An |
| <i>Phacelia</i> spp. | Scorpion Weed | An |
| <i>Phacelia tanacetifolia</i> | Scorpion Weed | An |
| <i>Phlomis fruticosa</i> | Jerusalem Sage | Sh, P |
| <i>Phoenix canariensis</i> | Canary Island Date Palm | T |
| <i>Phoenix dactylifera</i> | Date Palm | T |
| <i>Pinus canariensis</i> | Canary Island Pine | T |
| <i>Pinus eldarica</i> | Afghan Pine | T |
| <i>Pinus halepensis</i> | Aleppo Pine | T |
| <i>Pinus pinea</i> | Italian Stone Pine | T |
| <i>Pinus roxburghii</i> | Chir Pine | T |
| <i>Pistacia atlantica</i> | Mt. Atlas Pistache | T |
| <i>Pistacia chinensis</i> | Chinese Pistache | T |
| <i>Pistacia lentiscus</i> | Mastic Tree | T |
| <i>Pistacia</i> spp. | Pistachio | T |
| <i>Pithecellobium flexicaule</i> - see <i>Ebenopsis ebano</i> | | |
| <i>Pithecellobium mexicanum</i> - see <i>Havardia mexicana</i> | | |
| <i>Pithecellobium pallens</i> - see <i>Havardia pallens</i> | | |
| <i>Pithecellobium</i> spp. - see <i>Ebenopsis</i> spp. | | |
| <i>Pittosporum angustifolium</i> | Weeping Pittosporum, Willow Pittosporum | T |
| <i>Pittosporum phillyraeoides</i> - see <i>P. angustifolium</i> | | |
| <i>Plantago insularis</i> | Indian Wheat | An |
| <i>Plantago</i> spp. | Indian-wheat | An |
| <i>Platystemon californicus</i> | Cream Cups | An |
| <i>Plumbago capensis</i> | Cape Plumbago | Sh |
| <i>Plumbago scandens</i> | White Plumbago | Sh |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|------------------------------------|---------------------------------------|------------------|
| <i>Podranea ricasoliana</i> | Pink Trumpet Vine | V |
| <i>Poliomintha maderensis</i> | Lavender Spice | Sh |
| <i>Portulaca grandiflora</i> | Moss Rose | An, C/S/Ac |
| <i>Portulacaria afra</i> | Elephant's Food | C/S/Ac |
| <i>Proboscidea altheaefolia</i> | Devil's Claw | P |
| <i>Proboscidea parviflora</i> | Devil's Claw | An |
| <i>Prosopis alba</i> | Argentine Mesquite | T |
| <i>Prosopis chilensis</i> | Chilean Mesquite | T |
| <i>Prosopis glandulosa</i> | Texas Honey Mesquite | T |
| <i>Prosopis pubescens</i> | Screwbean Mesquite | T |
| <i>Prosopis</i> spp. | Mesquite | T |
| <i>Pyracantha</i> spp. | Pyracantha, Fire Thorn | Sh |
| <i>Quercus</i> spp. | Oak | T |
| <i>Ruellia brittoniana</i> | Purple Ruellia | Sh |
| <i>Ruellia brittoniana</i> 'Katie' | Katie Ruellia | Gc |
| <i>Ruellia peninsularis</i> | Baja Ruellia | Sh |
| <i>Ruellia</i> spp. | Ruellia | Sh, Gc |
| <i>Salvia chamaedryoides</i> | Blue Sage | Sh, Gc |
| <i>Salvia clevelandii</i> | Chaparral Sage | Sh, P |
| <i>Salvia coccinea</i> | Cherry Red Sage | An |
| <i>Salvia columbariae</i> | Chia | An |
| <i>Salvia dorrii</i> | Desert Sage | Sh |
| <i>Salvia farinacea</i> | Mealy Cup Sage | Gc, P |
| <i>Salvia greggii</i> | Autumn Sage | Sh, P |
| <i>Salvia leucantha</i> | Mexican Bush Sage | Sh, P |
| <i>Salvia leucophylla</i> | Purple Sage | Sh |
| <i>Salvia</i> spp. | Sage | Sh, P, Gc, An, P |
| <i>Santolina chamaecyparissus</i> | Lavender Cotton | Gc |
| <i>Santolina virens</i> | Green Santolina | Gc |
| <i>Schinus molle</i> | California Pepper Tree | T |
| <i>Schinus terebinthifolius</i> | Brazilian Pepper Tree | T |
| <i>Schismus barbatus</i> | Mediterranean Grass | Gr |
| <i>Senna polyantha</i> | Goldman's Cassia | Sh |
| <i>Senna</i> spp. | Cassia | Sh, T, P |
| <i>Senna artemisioides</i> | Green Feathery Senna, Feathery Cassia | Sh |
| <i>Senna covesii</i> | Desert Senna | P |
| <i>Senna nemophila</i> | Desert Cassia | Sh |
| <i>Senna pallida</i> | Twin Flower Cassia | Sh |
| <i>Senna phyllodinea</i> | Silver-leaf Cassia | Sh |
| <i>Senna wislizenii</i> | Shrubby Senna, Shrubby Cassia | Sh |
| <i>Sesuvium verrucosum</i> | Sea Purslane | Gc |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|---|------------|
| <i>Setaria macrostachya</i> | Hummingbird Flower | Gr |
| <i>Simmondsia chinensis</i> | Jojoba | Sh |
| <i>Sisymbrium ambiguum</i> | Purple Rocket | An |
| <i>Solanum jasminoides</i> | Potato Vine | V |
| <i>Solanum xanti</i> | Solanum, Purple Nightshade | Sh, An |
| <i>Sophora arizonica</i> | Arizona Sophora | Sh |
| <i>Sophora formosa</i> | Sophora | Sh |
| <i>Sophora secundiflora</i> | Texas Mountain Laurel, Mescal Bean | T, Sh |
| <i>Sphaeralcea ambigua</i> | Globe Mallow | P |
| <i>Sphaeralcea</i> spp. | Globe-mallow | P |
| <i>Sporobolus airoides</i> | Alkali Sacaton | Gr |
| <i>Sporobolus cryptandrus</i> | Sand Dropseed | Gr |
| <i>Sporobolus wrightii</i> | Big Sacaton | Gr |
| <i>Stachys coccinea</i> | Red Mint, Betony | P |
| <i>Stenocereus thurberi</i> | Organ Pipe, Arizona Organ Pipe | C/S/Ac |
| <i>Stipa tenuissima</i> - see <i>Nasella tenuissima</i> | | |
| <i>Tagetes lucida</i> | Mexican Mint Marigold | P |
| <i>Tagetes lemmonii</i> | Mt. Lemmon Marigold | P |
| <i>Tagetes</i> spp. | Marigold | P |
| <i>Tamarix aphylla</i> | Athel Tree | T |
| <i>Tecoma hybrid</i> | Orange Bells | Sh |
| <i>Tecoma</i> spp. | Tacoma | Sh |
| <i>Tecoma stans</i> | Arizona Yellow Bells | Sh |
| <i>Tecomaria capensis</i> | Cape Honeysuckle | Sh |
| <i>Tephrocactus articulatus</i> | Spruce Cones | C/S/Ac |
| <i>Tetraneurus acaulis</i> | Angelita Daisy | P |
| <i>Teucrium chamaedrys</i> cv. 'Prostrata' | Creeping Germander | Gc |
| <i>Teucrium fruticans</i> | Bush Germander | Sh |
| <i>Thamnosma montana</i> | Turpentine Broom | Sh |
| <i>Thevetia peruviana</i> | Yellow Oleander | Sh |
| <i>Thymophylla acerosa</i> | Dyssodia | P |
| <i>Thymophylla pentachaeta</i> | Golden Dyssodia, Dyssodia | An, P |
| <i>Tipuana tipu</i> | Tipu Tree | T |
| <i>Tithonia rotundifolia</i> | Mexican Sunflower | An |
| <i>Trichachne californica</i> | Cotton top | Gr |
| <i>Trichocereus candicans</i> | Argentine Trichocereus, Argentine Giant | C/S/Ac |
| <i>Trichocereus huascha</i> | Argentine Hedgehog | C/S/Ac |
| <i>Trichocereus terscheckii</i> | Cardon Grande | C/S/Ac |
| <i>Trixis californica</i> | Trixis | Sh |
| <i>Ulmus parvifolia</i> 'Semperfivrens' | Evergreen Elm, Chinese Evergreen Elm | T |
| <i>Ungnadia speciosa</i> | Mexican Buckeye | T |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|---|---|------------|
| <i>Ursinia calenduliflora</i> | Ursinia | An |
| <i>Ursinia chrysanthemoides</i> | Ursinia | An |
| <i>Ursinia speciosa</i> | Ursinia | An |
| <i>Ursinia</i> spp. | Ursinia | An |
| <i>Vauquelinia californica</i> | Arizona Rosewood | Sh |
| <i>Vauquelinia corymbosa</i> | Narrow-leaf Rosewood | Sh |
| <i>Vauquelinia</i> spp. | Rosewood | Sh |
| <i>Verbena bipinnatifida</i> - see <i>Glandularia bipinnatifida</i> | | |
| <i>Verbena gooddingii</i> - see <i>Glandularia gooddingii</i> | | |
| <i>Verbena gooddingii</i> - see <i>Glandularia gooddingii</i> | | |
| <i>Verbena peruviana</i> - see <i>Glandularia peruviana</i> | | |
| <i>Verbena rigida</i> - see <i>Glandularia rigida</i> | | |
| <i>Verbena tenera</i> - see <i>Glandularia tenera</i> | | |
| <i>Verbena tenera</i> - see <i>Glandularia tenera</i> | | |
| <i>Verbesina encelioides</i> | Golden Crown Beard | An |
| <i>Viguiera annua</i> | Golden Eye | An |
| <i>Viguiera deltoidea</i> - see <i>V. parishii</i> | | |
| <i>Viguiera stenoloba</i> | Skeleton-leaf Goldeneye | Sh |
| <i>Viguiera tormentosa</i> | Goldeneye | Sh |
| <i>Vitex agnus-castus</i> | Chaste Tree | T |
| <i>Washingtonia filifera</i> | California Fan Palm | T |
| <i>Washingtonia robusta</i> | Mexican Fan Palm | T |
| <i>Washingtonia</i> spp. | Desert Fan Palm | T |
| <i>Wedelia hispida</i> - see <i>Wedelia texana</i> | | |
| <i>Wedelia texana</i> | Rough Zexmenia, Orange Zexmania | Sh, P |
| <i>Wedelia trilobata</i> | Yellow Dot | Gc |
| <i>Westringia rosmariniformis</i> | Westringia | Sh |
| <i>Xylosma congestum</i> | Xylosma | T |
| <i>Yucca aloifolia</i> | Spanish Bayonet | C/S/Ac |
| <i>Yucca baccata</i> | Banana Yucca | C/S/Ac |
| <i>Yucca brevifolia</i> | Joshua Tree | C/S/Ac |
| <i>Yucca elata</i> | Soaptree Yucca | C/S/Ac |
| <i>Yucca pallida</i> | Paleleaf Yucca | C/S/Ac |
| <i>Yucca rigida</i> | Blue Yucca | C/S/Ac |
| <i>Yucca rostrata</i> | Beaked Yucca | C/S/Ac |
| <i>Yucca</i> spp. | Yucca | C/S/Ac |
| <i>Zauschneria californica</i> | Hummingbird Flower, Hummingbird Trumpet | Gc, P |
| <i>Zauschneria</i> spp. | Hummingbird Flower | Gc |
| <i>Zephyranthes</i> spp. | Rain Lily | P |
| <i>Zephyranthes candida</i> | Rain Lily, Zephyr Flower | P |
| <i>Zephyranthes citrina</i> | Fairy Lily | P |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| BOTANICAL NAME | COMMON NAME | PLANT TYPE |
|--|---------------------------------------|------------|
| <i>Zephyranthes grandiflora</i> | Rain Lily | P |
| <i>Zexmenia hispida</i> - see <i>Wedelia texana</i> | | |
| <i>Zexmenia hispida</i> -- see <i>Wedelia texana</i> | | |
| <i>Zinnia acerosa</i> | Desert Zinnia | P |
| <i>Zinnia angustifolia X elegans</i> | Zinnia 'Profusion' Series | An |
| <i>Zinnia grandiflora</i> | Prairie Zinnia, Rocky Mountain Zinnia | P |
| <i>Ziziphus jujuba</i> | Chinese Jujube | T |
| <i>Zizyphus obtusifolia</i> | Gray Thorn | Sh |

Alphabetical Order by Common Name

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|------------------------|---|------------|
| Acacia | <i>Acacia</i> spp. | T |
| Abyssinian Acacia | <i>Acacia abyssinica</i> | T |
| Acacia | <i>Acacia</i> spp. | Gc, Sh |
| Afghan Pine | <i>Pinus eldarica</i> | T |
| African Daisy | <i>Arctotis</i> spp. | P |
| African Daisy | <i>Arctotis acaulis</i> | P |
| African Daisy | <i>Dimorphotheca</i> spp. | An |
| African Mallow | <i>Anisodontea hypomandrum</i> | P |
| African Sumac | <i>Rhus lancea</i> | T |
| Agave | <i>Agave</i> spp. | C/S/Ac |
| Ajo Lily | <i>Hesperocallis undulata</i> | P |
| Aleppo Pine | <i>Pinus halepensis</i> | T |
| Alkali Sacaton | <i>Sporobolus airoides</i> | Gr |
| Aloe | <i>Aloe</i> spp. | C/S/Ac |
| Amsonia | <i>Amsonia palmeri</i> | P |
| Anacacho | <i>Bauhinia lunarioides</i> (<i>B. congesta</i>) | Sh, T |
| Anacacho Orchid Tree | <i>Bauhinia lunarioides</i> (<i>B. congesta</i>) | Sh, T |
| Anacahuita | <i>Cordia boissieri</i> | Sh |
| Anderson Thornbush | <i>Lycium andersonii</i> | Sh |
| Anderson's Honeysuckle | <i>Anisacanthus andersonii</i> | Sh |
| Angelita Daisy | <i>Tetraneuris acaulis</i> (<i>Hymenoxys acaulis</i>) | P |
| Ape's earring | <i>Havardia pallens</i> (<i>Pithecellobium pallens</i>) | T |
| Argentine Giant | <i>Trichocereus candicans</i> | C/S/Ac |
| Argentine Hedgehog | <i>Trichocereus huascha</i> | C/S/Ac |
| Argentine Mesquite | <i>Prosopis alba</i> | T |
| Argentine Trichocereus | <i>Trichocereus candicans</i> | C/S/Ac |
| Arizona Blue Eyes | <i>Evolvulus arizonicus</i> | P |
| Arizona Cypress | <i>Cupressus arizonica</i> | T |
| Arizona Lupine | <i>Lupinus arizonicus</i> | An |
| Arizona Poppy | <i>Kallstroemia grandiflora</i> | An |
| Arizona Rosewood | <i>Vauquelinia californica</i> | Sh |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|---------------------------|---|------------|
| Arizona Sophora | <i>Sophora arizonica</i> | Sh |
| Arizona Yellow Bells | <i>Tecoma stans</i> | Sh |
| Arroyo Lupine | <i>Lupinus succulentus</i> | An |
| Athel Tree | <i>Tamarix aphylla</i> | T |
| Australian Myrtle | <i>Melaleuca spp.</i> | Sh |
| Australian Saltbush | <i>Atriplex semibaccata</i> | Gc |
| Australian-willow | <i>Geijera parviflora</i> | T |
| Autumn Sage | <i>Salvia greggii</i> | P, Sh |
| Baby Blue Eyes | <i>Nemophila menziesii</i> | An |
| Baby Bonnes | <i>Coursetia glandulosa</i> | Sh |
| Bahia | <i>Bahia absinthifolia</i> | P |
| Baja Fairy Duster | <i>Calliandra californica</i> | Sh |
| Baja Passion Vine | <i>Passiflora foetida</i> | V |
| Baja Ruellia | <i>Ruellia peninsularis</i> | Sh |
| Bamboo Muhly | <i>Muhlenbergia dumosa</i> | Gr |
| Banana Yucca | <i>Yucca baccata</i> | C/S/Ac |
| Barbados Cherry | <i>Malpighia emarginata</i> | Sh |
| Barberry | <i>Berberis trifoliolata</i> | Sh |
| Barestem Larkspur | <i>Delphinium scaposum</i> | P |
| Basket Flower | <i>Centaurea rothrockii</i> | An |
| Beaked Yucca | <i>Yucca rostrata</i> | C/S/Ac |
| Beargrass | <i>Nolina spp.</i> | C/S/Ac |
| Beargrass | <i>Nolina microcarpa</i> | C/S/Ac |
| Beavertail Prickly Pear | <i>Opuntia basilaris</i> | C/S/Ac |
| Bee Balm | <i>Monarda austromontana</i> | An |
| Bee Brush | <i>Aloysia gratissima</i> | Sh |
| Beebrush | <i>Aloysia spp.</i> | Sh |
| Beefwood | <i>Casuarina spp.</i> | T |
| Bell Flower | <i>Hesperaloe campanula</i> | C/S/Ac |
| Belly Flower | <i>Monoptilon bellidoides</i> | An |
| Betony | <i>Stachys coccinea</i> | P |
| Big Bluestem | <i>Bothriochloa gerardii</i> | Gr |
| Big Galleta | <i>Hilaria rigida</i> | Gr |
| Big Sacaton | <i>Sporobolus wrightii</i> | Gr |
| Bigelow's Monkeyflower | <i>Mimulus bigelovii</i> | An |
| Birdcage Evening Primrose | <i>Oenothera deltoides</i> | An |
| Bird-of-Paradise | <i>Caesalpinia spp.</i> | Sh, T |
| Bitter Condalia | <i>Condalia globosa</i> | Sh |
| Black Dalea | <i>Dalea frutescens</i> | Sh |
| Black Yellow Vine | <i>Kennedia nigricans</i> | V |
| Blackbrush Acacia | <i>Acacia rigidula</i> | T, Sh |
| Blackfoot Daisy | <i>Melampodium leucanthum</i> | P |
| Blanket Flower | <i>Gaillardia pulchella</i> | An |
| Blazing Star | <i>Mentzelia spp.</i> | An |
| Blazing Stars | <i>Mentzelia lindleyi</i> | An |
| Blue Aster | <i>Machaeranthera canescens (Aster bigelovii)</i> | An |
| Blue Euphorbia | <i>Euphorbia rigida</i> | Gc |
| Blue Flax | <i>Linum lewisii</i> | An, P |
| Blue Grama | <i>Bouteloua gracilis</i> | Gr |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|-------------------------|--|------------|
| Blue Myrtle Cactus | <i>Myrtillocactus geometrizans</i> | C/S/Ac |
| Blue Palo Verde | <i>Parkinsonia florida (Cercidium floridum)</i> | T |
| Blue Ranger | <i>Leucophyllum zygophyllum</i> | Sh |
| Blue Sage | <i>Salvia chamaedryoides</i> | Gc, Sh |
| Blue Yucca | <i>Yucca rigida</i> | C/S/Ac |
| Bluebush | <i>Maireana sedifolia</i> | Sh |
| Bluedicks | <i>Dichelostemma pulchellum</i> | P |
| Bottle Tree | <i>Brachychiton populneus</i> | T |
| Bottlebrush | <i>Callistemon spp.</i> | T |
| Bottlebrush | <i>Callistemon viminalis</i> | Sh |
| Bougainvillea | <i>Bougainvillea spp.</i> | V |
| Bougainvillea | <i>Bougainvillea spectabilis</i> | V |
| Boundary Ephedra | <i>Ephedra nevadensis var. aspera</i> | Sh |
| Brazilian Pepper Tree | <i>Schinus terebinthifolius</i> | T |
| Brittlebush | <i>Encelia spp.</i> | Sh |
| Brittlebush | <i>Encelia farinosa</i> | Sh |
| Buckhorn Cholla | <i>Opuntia acanthocarpa</i> | C/S/Ac |
| Buckwheat | <i>Eriogonum spp.</i> | Sh |
| Bull Grass | <i>Muhlenbergia emersleyi</i> | Gr |
| Burrobrush | <i>Hymenoclea monogyra</i> | Sh |
| Bush Dalea | <i>Dalea pulchra</i> | |
| Bush Germander | <i>Teucrium fruticans</i> | Sh |
| Bush Morning Glory | <i>Convolvulus cneorum</i> | Gc, Sh |
| Bush Muhly | <i>Muhlenbergia porteri</i> | Gr |
| Bush Rosemary | <i>Rosmarinus officinalis</i> | Sh |
| Cactus Family | <i>Cactaceae</i> | C/S/Ac |
| California Bluebell | <i>Phacelia campanularia</i> | An |
| California Buckwheat | <i>Eriogonum fasciculatum</i> | Sh |
| California Fan Palm | <i>Washingtonia filifera</i> | T |
| California Pepper Tree | <i>Schinus molle</i> | T |
| California Poppy | <i>Eschscholzia californica ssp. Mexicana, E. mexicana</i> | An |
| Camel Thorn | <i>Acacia erioloba</i> | T |
| Canary Island Date Palm | <i>Phoenix canariensis</i> | T |
| Canary Island Pine | <i>Pinus canariensis</i> | T |
| Candelilla | <i>Euphorbia antisyphilitica</i> | C/S/Ac |
| Cane Bluestem | <i>Bothriochloa barbinodis</i> | Gr |
| Canyon Hackberry | <i>Celtis reticulata</i> | T |
| Canyon Penstemon | <i>Penstemon pseudospectabilis</i> | P |
| Canyon Ragweed | <i>Ambrosia ambrosioides</i> | Sh |
| Cape Aloe | <i>Aloe ferox</i> | C/S/Ac |
| Cape Honeysuckle | <i>Tecomaria capensis</i> | Sh |
| Cape Plumbago | <i>Plumbago capensis</i> | Sh |
| Cardon Grande | <i>Trichocereus terscheckii</i> | C/S/Ac |
| Carob Tree | <i>Ceratonia siliqua</i> | T |
| Cascalote | <i>Caesalpinia cacalaco</i> | T |
| Cassia | <i>Senna spp. (Cassia spp.)</i> | Sh |
| Cat Claw Vine | <i>Macfadyena unguis-cati</i> | V |
| Catclaw Acacia | <i>Acacia greggii</i> | T |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|------------------------|--|------------|
| Centennial Baccharis | <i>Baccharis v. 'Centennial'</i> | Gc |
| Century Plant | <i>Agave americana</i> | C/S/Ac |
| Century Plant | <i>Agave spp.</i> | C/S/Ac |
| Chaparral Sage | <i>Salvia clevelandii</i> | P, Sh |
| Chaste Tree | <i>Vitex agnus-castus</i> | T |
| Cherry Red Sage | <i>Salvia coccinea</i> | An |
| Chia | <i>Salvia columbariae</i> | An |
| Chihuahuan Sage | <i>Leucophyllum laevigatum</i> | Sh |
| Chilean Mesquite | <i>Prosopis chilensis</i> | T |
| Chinch Weed | <i>Pectis papposa</i> | An |
| Chinese Evergreen Elm | <i>Ulmus parvifolia 'Sempervirens'</i> | T |
| Chinese Jujube | <i>Ziziphus jujuba</i> | T |
| Chinese Pistache | <i>Pistacia chinensis</i> | T |
| Chinese-houses | <i>Collinsia heterophylla</i> | An |
| Chir Pine | <i>Pinus roxburghii</i> | T |
| Chitalpa | <i>Chitalpa tashkentensis</i> | T |
| Chocolate Flower | <i>Berlandiera lyrata</i> | P |
| Chunari | <i>Fouquieria macdougalii</i> | C/S/Ac |
| Chuparosa | <i>Justicia spp.</i> | Sh |
| Chuparosa | <i>Justicia californica</i> | Sh |
| Coahuilan Hesperaloe | <i>Hesperaloe funifera</i> | C/S/Ac |
| Coast Beefwood | <i>Casuarina stricta</i> | T |
| Common Ice Plant | <i>Mesembryanthemum crystallinum</i> | C/S/Ac |
| Common Trumpet Creeper | <i>Campsis radicans</i> | V |
| Compass Barrel | <i>Ferocactus acanthodes</i> | C/S/Ac |
| Compass Barrel | <i>Ferocactus cylindraceus</i> | C/S/Ac |
| Coolibah | <i>Eucalyptus microtheca</i> | T |
| Copal | <i>Bursera hindsiana</i> | T |
| Coral Aloe | <i>Aloe striata</i> | C/S/Ac |
| Coral Gum | <i>Eucalyptus torquata</i> | T |
| Coral Penstemon | <i>Penstemon superbus</i> | P |
| Coral Vine | <i>Antigonon leptopus</i> | V |
| Cork Oak | <i>Quercus suber</i> | T |
| Cosmos | <i>Cosmos spp.</i> | An |
| Cotton top | <i>Trichachne californica</i> | Gr |
| Cow's Horn Agave | <i>Agave bovicornuta</i> | C/S/Ac |
| Coyote Brush | <i>Baccharis pilularis</i> | Gc |
| Coyote Brush | <i>Baccharis spp.</i> | Sh |
| Coyote Brush | <i>Baccharis spp.</i> | Gc |
| Coyote Gourd | <i>Cucurbita digitata</i> | V |
| Cream Cups | <i>Platystemon californicus</i> | An |
| Creeping Germander | <i>Teucrium chamaedrys cv. 'Prostrata'</i> | Gc |
| Creosote Bush | <i>Larrea tridentata</i> | Sh |
| Crucifixion Thorn | <i>Castela emoryi (Holacantha emoryi)</i> | T |
| Crucifixion Thorn | <i>Gleditsia triacanthos</i> | T |
| Damianita | <i>Chrysactinia mexicana</i> | Sh, Gc |
| Date Palm | <i>Phoenix dactylifera</i> | T |
| Dawe's Aloe | <i>Aloe dawei</i> | C/S/Ac |
| Deer Grass | <i>Muhlenbergia rigens</i> | Gr |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|--------------------------|--|------------|
| Desert Bloom | <i>Baccharis</i> spp. | Gc |
| Desert Bluebell | <i>Phacelia campanularia</i> | An |
| Desert Broom | <i>Baccharis sarothroides</i> | Sh |
| Desert Broom | <i>Baccharis</i> spp. | Sh |
| Desert Cassia | <i>Senna nemophila</i> (<i>Cassia nemophila</i>) | Sh |
| Desert Coreopsis | <i>Coreopsis bigelovii</i> | An, P |
| Desert Fan Palm | <i>Washingtonia</i> spp. | T |
| Desert Fern | <i>Lysiloma microphylla</i> var. <i>thornberi</i> | T |
| Desert Four O'Clock | <i>Mirabilis multiflora</i> | P |
| Desert Hackberry | <i>Celtis pallida</i> | Sh |
| Desert Holly | <i>Atriplex hymenlytra</i> | Sh |
| Desert Honeysuckle | <i>Anisacanthus</i> spp. | Sh |
| Desert Honeysuckle | <i>Anisacanthus thurberi</i> | Sh |
| Desert Lavender | <i>Hyptis emoryi</i> | Sh |
| Desert Lupine | <i>Lupinus sparsiflorus</i> | An |
| Desert Marigold | <i>Baileya multiradiata</i> | P |
| Desert Milkweed | <i>Asclepias subulata</i> | C/S/Ac, Sh |
| Desert Olive | <i>Forestiera neomexicana</i> | Sh |
| Desert Orchid | <i>Gaura lindheimeri</i> | P |
| Desert Prickly Pear | <i>Opuntia engelmannii</i> | |
| Desert Rock Pea | <i>Lotus rigidus</i> | P |
| Desert Rose Mallow | <i>Hibiscus coulteri</i> | P |
| Desert Sage | <i>Salvia dorrii</i> | Sh |
| Desert Senna | <i>Senna covesii</i> (<i>Cassia covesii</i>) | P |
| Desert Spoon | <i>Dasyliion</i> spp. | C/S/Ac |
| Desert Spoon | <i>Dasyliion wheeleri</i> | C/S/Ac |
| Desert Sumac | <i>Rhus microphylla</i> | Sh |
| Desert Sunflower | <i>Geraea canescens</i> | An |
| Desert Tea | <i>Ephedra nevadensis</i> | Sh |
| Desert Willow | <i>Chilopsis linearis</i> | T |
| Desert Zinnia | <i>Zinnia acerosa</i> | P |
| Desert-chicory | <i>Rafinesquia neomexicana</i> | An |
| Desert-fern | <i>Lysiloma</i> spp. | T |
| Devil's Claw | <i>Proboscidea altheaefolia</i> | P |
| Devil's Claw | <i>Proboscidea parviflora</i> | An |
| Dewflower | <i>Drosanthemum speciosum</i> | C/S/Ac |
| Dyssodia | <i>Thymophylla acerosa</i> (<i>Dyssodia acerosa</i>) | P |
| Dyssodia | <i>Thymophylla pentachaeta</i> (<i>Dyssodia pentachaeta</i>) | An, P |
| Ebony | <i>Ebenopsis</i> spp. (<i>Pithecellobium</i> spp.) | T |
| Elephant Tree | <i>Bursera</i> spp. | T |
| Elephant Tree | <i>Bursera microphylla</i> | T |
| Elephant's Food | <i>Portulacaria afra</i> | C/S/Ac |
| Emory Oak | <i>Quercus emoryi</i> | T |
| Emu bush | <i>Eremophila maculata</i> | Sh |
| Emu Bush | <i>Eremophila</i> spp. | Sh |
| Engelmann's Hedgehog | <i>Echinocereus engelmannii</i> | C/S/Ac |
| Engelmann's Prickly Pear | <i>Opuntia engelmannii</i> | C/S/Ac |
| Eucalyptus | <i>Eucalyptus</i> spp. | T |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|-----------------------|--|------------|
| Eupatorium | <i>Conoclinium greggii</i> (<i>Eupatorium greggii</i>) | P |
| Euphorbia | <i>Euphorbia rigida</i> (<i>Euphorbia biglandulosa</i>) | Sh |
| Evening Primrose | <i>Oenothera primiveris</i> | An |
| Evening Scented Stock | <i>Matthiola longipetala</i> cv. 'Bicornis' | An |
| Evergreen Elm | <i>Ulmus parvifolia</i> 'Sempervirens' | T |
| Evergreen Sumac | <i>Rhus virens</i> | Sh |
| Everlasting Daisy | <i>Helichrysum bracteatum</i> | An |
| Fairy Duster | <i>Calliandra peninsularis</i> | Sh |
| Fairy Lily | <i>Zephyranthes citrina</i> | P |
| Fan Palm | <i>Brahea</i> spp. | T |
| Farewell-to-Spring | <i>Clarkia amoena</i> | An |
| Feather Bush | <i>Lysiloma microphylla</i> | T |
| Feathery cassia | <i>Senna artemisioides</i> (<i>Cassia artemisioides</i>) | Sh |
| Fern Acacia | <i>Acacia angustissima</i> v. <i>hirta</i> | Sh |
| Fiddleneck | <i>Amsinckia intermedia</i> | An |
| Finger Leaf Gourd | <i>Curcurbita digitata</i> | V |
| Fire Bush | <i>Hamelia patens</i> | Sh |
| Fire Stick | <i>Euphorbia tirucallii</i> | Sh |
| Fire Thorn | <i>Pyracantha</i> spp. | Sh |
| Fire Wheel | <i>Gaillardia pulchella</i> | An |
| Firecracker Bush | <i>Hamelia patens</i> | |
| Firecracker Penstemon | <i>Penstemon eatonii</i> | P |
| Firethorn | <i>Pyracantha coccinea</i> | Sh |
| Fishhook Barrel | <i>Ferrocactus wislizenii</i> | C/S/Ac |
| Five Spot | <i>Nemophila maculata</i> | An |
| Flame Honeysuckle | <i>Anisacanthus quadrifidus</i> | Sh |
| Flattop Buckwheat | <i>Eriogonum fasciculatum</i> | |
| Fluffgrass | <i>Erioneuron pulchellum</i> | Gr |
| Foothills Palo Verde | <i>Parkinsonia microphylla</i> (<i>Cercidium microphyllum</i>) | T |
| Forman's Eucalyptus | <i>Eucalyptus formani</i> | T |
| Fourwing Saltbush | <i>Atriplex canescens</i> | Sh |
| Fragrant Sage | <i>Leucophyllum pruinosum</i> | Sh |
| Fruitless Olive | <i>Olea europaea</i> | T |
| Frutilla | <i>Lycium brevipes</i> | Sh |
| Gaura | <i>Gaura lindheimeri</i> | P |
| Gazania | <i>Gazania</i> spp. | Gc |
| Ghost Flower | <i>Mohavea confertiflora</i> | An |
| Ghost Gum | <i>Eucalyptus papuana</i> | T |
| Giant Hesperaloe | <i>Hesperaloe funifera</i> | C/S/Ac |
| Giant Muhly | <i>Muhlenbergia dumosa</i> | Gr |
| Giant Prickly Pear | <i>Opuntia robusta</i> | C/S/Ac |
| Globe Amaranth | <i>Gomphrena globosa</i> | An |
| Globe Mallow | <i>Sphaeralcea ambigua</i> | P |
| Globe-mallow | <i>Sphaeralcea</i> spp. | P |
| Golden Ball Lead Tree | <i>Leucaena retusa</i> | T |
| Golden Barrel | <i>Echinocactus grusonii</i> | C/S/Ac |
| Golden Crown Beard | <i>Verbesina encelioides</i> | An |
| Golden Dyssodia | <i>Thymophylla pentachaeta</i> (<i>Dyssodia pentachaeta</i>) | P |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|---------------------------|--|------------|
| Golden Eye | <i>Viguiera annua</i> | An |
| Golden Eye | <i>Bahiopsis parishii</i> | Sh |
| Golden Wattle | <i>Acacia notabilis</i> | Sh |
| Goldeneye | <i>Viguiera tomentosa</i> | Sh |
| Goldfield | <i>Lasthenia chrysostoma (Baeria chrysostoma)</i> | An |
| Goldman's Senna or Cassia | <i>Senna polyantha, Cassia goldmannii</i> | Sh |
| Goldman's Senna or Cassia | <i>Cassia goldmannii</i> | Sh |
| Goodding's Verbena | <i>Glandularia gooddingii (Verbena gooddingii)</i> | An, P |
| Grape Ivy | <i>Cissus trifoliata</i> | V |
| Grass Tree | <i>Dasyuris longissimum</i> | C/S/Ac |
| Gray Ice Plant, Ice Plant | <i>Malephora crocea</i> | C/S/Ac, Gc |
| Gray Thorn | <i>Zizyphus obtusifolia</i> | Sh |
| Green Desert Spoon | <i>Dasyuris acrotriche</i> | C/S/Ac |
| Green Feathery Senna | <i>Senna artemisioides (Cassia artemisioides)</i> | |
| Green Santolina | <i>Santolina virens</i> | Gc |
| Ground Morning Glory | <i>Convolvulus mauritanicus</i> | Gc |
| Guadalupe Palm | <i>Brahea edulis</i> | T |
| Guajillo | <i>Acacia berlandieri</i> | T, Sh |
| Guayacan | <i>Guaiacum coulteri</i> | Sh |
| Gulf Muhly | <i>Muhlenbergia capillaris</i> | Gr |
| Heart-leaved Primrose | <i>Camissonia cardiophylla</i> | An |
| Heavenly-bamboo | <i>Nandina domestica</i> | Sh |
| Hechtia | <i>Hechtia montana</i> | C/S/Ac |
| Helipterum | <i>Helipterum spp.</i> | An |
| Hesperaloe | <i>Hesperaloe spp.</i> | C/S/Ac |
| Hildmann's Cereus | <i>Cereus hildmannianus</i> | C/S/Ac |
| Honey Locust | <i>Gleditsia triacanthos</i> | T |
| Hop Bush | <i>Dodonaea viscosa</i> | Sh |
| Horsetail Tree | <i>Casuarina equisetifolia</i> | T |
| Hottentot Fig | <i>Carpobrotus edulis</i> | C/S/Ac |
| Hummingbird Flower | <i>Zauschneria spp.</i> | Gc |
| Hummingbird Flower | <i>Setaria macrostachya</i> | Gr |
| Hummingbird Flower | <i>Zauschneria californica</i> | Gc, P |
| Hummingbird Trumpet | <i>Zauschneria californica</i> | Gc, P |
| Hybrid Palo Verde | <i>Parkinsonia hybrid</i> | T |
| Ice Plant | <i>Malephora crocea</i> | C/S/Ac, Gc |
| Ice Plant | <i>Malephora crocea</i> | Gc |
| Ice Plant | <i>Carpobrotus chilensis</i> | C/S/Ac |
| Ice Plant Family | <i>Aizoaceae</i> | C/S/Ac, Gc |
| Indian Fig | <i>Opuntia ficus-indica</i> | C/S/Ac |
| Indian Paintbrush | <i>Castilleja chromosa</i> | P |
| Indian Paintbrush | <i>Castilleja lanata</i> | P |
| Indian Rosewood | <i>Dalbergia sissoo</i> | |
| Indian Wheat | <i>Plantago insularis</i> | An |
| Indian-wheat | <i>Plantago spp.</i> | An |
| Indigo bush | <i>Dalea pulchra</i> | Sh |
| Indigo Bush | <i>Dalea spp.</i> | Gc, Sh |
| Ironwood | <i>Olneya tesota</i> | T |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|-----------------------|---|------------|
| Italian Cypress | <i>Cupressus sempervirens</i> | T |
| Italian Stone Pine | <i>Pinus pinea</i> | T |
| Jelly Palm | <i>Butia capitata</i> | T |
| Jerusalem Sage | <i>Phlomis fruticosa</i> | P, Sh |
| Jerusalem Thorn | <i>Parkinsonia aculeata</i> | T |
| Jimsonweed | <i>Datura meteloides (D. wrightii, D. inoxia)</i> | P |
| Jojoba | <i>Simmondsia chinensis</i> | Sh |
| Joshua Tree | <i>Yucca brevifolia</i> | C/S/Ac |
| Juniper | <i>Juniperus chinensis varieties</i> | Sh |
| Kangaroo Paw | <i>Anigozanthos flavidus</i> | P |
| Kangaroo Paw | <i>Anigozanthos manglesii</i> | P |
| Kangaroo Paw | <i>Anigozanthos viridis</i> | P |
| Kangaroo-paw | <i>Anigozanthos spp.</i> | P |
| Karoo Bush | <i>Pentzia incana</i> | Gc |
| Katie Ruellia | <i>Ruellia brittoniana 'Katie'</i> | Gc |
| Kidneywood | <i>Eysenhardtia orthocarpa</i> | T |
| Lady Banks' Rose | <i>Rosa banksiae</i> | V |
| Lady Slipper | <i>Pedilanthus macrocarpus</i> | C/S/Ac |
| Langman's Sage | <i>Leucophyllum langmaniae</i> | Sh |
| Lantana | <i>Lantana spp.</i> | Sh |
| Lantana | <i>Lantana hybrid</i> | Gc |
| Larkspur | <i>Delphinium amabile</i> | P |
| Latin Mock Vervain | <i>Glandularia tenera ((Verbena tenera)</i> | Gc |
| Lavender Cotton | <i>Santolina chamaecyparissus</i> | Gc |
| Lavender Spice | <i>Poliomintha maderensis</i> | Sh |
| Leather-Leaf Acacia | <i>Acacia craspedocarpa</i> | T, Sh |
| Leatherstem | <i>Jatropha dioica</i> | Sh |
| Lechuguilla Verde | <i>Agave bovicornuta</i> | C/S/Ac |
| Lemon Bottlebrush | <i>Callistemon citrinus</i> | Sh |
| Lilac Vine | <i>Hardenbergia violacea</i> | V |
| Limberbush | <i>Jatropha spp.</i> | Sh |
| Limberbush | <i>Jatropha cardiophylla</i> | Sh |
| Lindheimer Muhly | <i>Muhlenbergia lindheimeri</i> | Gr |
| Little-Leaf Ash | <i>Fraxinus greggii</i> | Sh |
| Little-Leaf Cordia | <i>Cordia parvifolia</i> | Sh |
| Live Oak | <i>Quercus virginiana</i> | T |
| Lomboy | <i>Jatropha cinerea</i> | Sh |
| Lupine | <i>Lupinus densiflorus</i> | An |
| Madagascar Periwinkle | <i>Catharanthus roseus</i> | An |
| Mallee | <i>Acacia notabilis</i> | Sh |
| Manfreda | <i>Manfreda maculosa</i> | C/S/Ac |
| Mangle Dulce | <i>Maytenus phyllanthoides</i> | Sh |
| Marigold | <i>Tagetes spp.</i> | P |
| Mastic Tree | <i>Pistacia lentiscus</i> | T |
| Matilija Poppy | <i>Romneya coulteri</i> | P |
| Maximilian Sunflower | <i>Helianthus maximiliani</i> | An, P |
| Mealy Cup Sage | <i>Salvia farinacea</i> | Gc, P |
| Mearns Sumac | <i>Rhus choriophylla</i> | Sh |
| Medicinal Aloe | <i>Aloe vera</i> | C/S/Ac |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|---------------------------|--|------------|
| Mediterranean Fan Palm | <i>Chamaerops humilis</i> | T |
| Mediterranean Grass | <i>Schismus barbatus</i> | Gr |
| Mescal Bean | <i>Sophora secundiflora</i> | T, Sh |
| Mescal Ceniza | <i>Agave colorata</i> | C/S/Ac |
| Mesquite | <i>Prosopis spp.</i> | T |
| Mexican Bird of Paradise | <i>Caesalpinia mexicana</i> | Sh |
| Mexican Blue Palm | <i>Brahea armata</i> | T |
| Mexican Buckeye | <i>Ungnadia speciosa</i> | T |
| Mexican Bush Sage | <i>Salvia leucantha</i> | Sh, P |
| Mexican Ebony | <i>Havardia mexicana (Pithecellobium mexicanum)</i> | T |
| Mexican Evening Primrose | <i>Oenothera berlandieri (O. speciosa)</i> | Gc |
| Mexican Fan Palm | <i>Washingtonia robusta</i> | T |
| Mexican Feather Grass | <i>Nasella tenuissa (Stipa tenuissima)</i> | Gr |
| Mexican Fencepost | <i>Pachycereus marginatus</i> | C/S/Ac |
| Mexican Gold Poppy | <i>Eschscholzia californica ssp. Mexicana, E. mexicana</i> | An |
| Mexican Hat | <i>Ratibida columnaris</i> | P |
| Mexican Honeysuckle | <i>Justicia spp.</i> | |
| Mexican Honeysuckle | <i>Justicia spicigera</i> | Sh |
| Mexican Mint Marigold | <i>Tagetes lucida</i> | P |
| Mexican Oregano | <i>Lippia graveolens (Lippia berlandieri)</i> | Sh |
| Mexican Palo Verde | <i>Parkinsonia aculeata</i> | T |
| Mexican Redbud | <i>Cercis canadensis var. mexicana</i> | T |
| Mexican Sunflower | <i>Tithonia rotundifolia</i> | An |
| Mexican Thread Grass | <i>Nasella tenuissa (Stipa tenuissima)</i> | Gr |
| Mohave Aster | <i>Machaeranthera tortifolia</i> | P |
| Mormon Tea | <i>Ephedra trifurca</i> | Sh |
| Mormon-tea | <i>Ephedra spp.</i> | Sh |
| Morning Glory | <i>Ipomoea cristulata</i> | An |
| Morning Glory | <i>Ipomoea leptotoma</i> | An |
| Morning Stars | <i>Mentzelia involucrata</i> | An |
| Moss Rose | <i>Portulaca grandiflora</i> | C/S/Ac, An |
| Moss Verbena | <i>Glandularia pulchella</i> | P |
| Mountain Aloe | <i>Aloe marlothii</i> | C/S/Ac |
| Mt. Atlas Pistache | <i>Pistacia atlantica</i> | T |
| Mt. Lemmon Marigold | <i>Tagetes palmeri (Tagetes lemmonii)</i> | P |
| Mulga | <i>Acacia aaneura</i> | T |
| Murphy's Agave | <i>Agave murpheyi</i> | C/S/Ac |
| Myoporum | <i>Myoporum parvifolium</i> | Gc |
| Myrtle | <i>Myrtus communis</i> | Sh |
| Narrow-leaf Gimlet | <i>Eucalyptus spathulata</i> | T |
| Narrowleaf Goldenbush | <i>Ericameria linearifolia</i> | Sh |
| Narrow-leaf Rosewood | <i>Vauquelinia corymbosa</i> | Sh |
| Native Dicliptera | <i>Dicliptera resupinanta</i> | Sh |
| Needle Acacia | <i>Acacia rigens</i> | Sh |
| Net Bush | <i>Calothamnus spp.</i> | Sh |
| Night-blooming Hesperaloe | <i>Hesperaloe nocturna</i> | C/S/Ac |
| Notable Wattle | <i>Acacia notabilis</i> | Sh |
| Oak | <i>Quercus spp.</i> | T |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|-------------------------|--|------------|
| Ocotillo | <i>Fouquieria spp.</i> | C/S/Ac |
| Ocotillo | <i>Fouquieria splendens</i> | C/S/Ac |
| Octopus Agave | <i>Agave vilmoriniana</i> | C/S/Ac |
| Old Man Saltbush | <i>Atriplex nummularia</i> | Sh |
| Oleander | <i>Nerium oleander</i> | Sh |
| One-sided Bottlebrush | <i>Calothamnus quadrifidus</i> | Sh |
| Orange Bells | <i>Tecoma hybrid</i> | Sh |
| Orange Zexmania | <i>Wedelia texana (W. hispida, Zexmenia hispida)</i> | P |
| Orchid Tree | <i>Bauhinia mexicana</i> | T |
| Orchid Tree | <i>Bauhinia macararthera</i> | Sh |
| Orchid Tree | <i>Bauhinia ramosissima</i> | Sh |
| Oreganillo | <i>Aloysia wrightii</i> | Sh |
| Organ Pipe | <i>Stenocereus thurberi</i> | C/S/Ac |
| Owl's Clover | <i>Castilleja exserta</i> | An |
| Painted Spurge | <i>Euphorbia heterophylla</i> | An |
| Pale Blue Trumpets | <i>Ipomopsis longiflora</i> | P |
| Paleleaf Yucca | <i>Yucca pallida</i> | C/S/Ac |
| Palm Canyon Justicia | <i>Justicia sonorae</i> | Sh |
| Palmer's Penstemon | <i>Penstemon palmeri</i> | P |
| Palo Blanco | <i>Lysiloma candida</i> | T |
| Palo Blanco | <i>Acacia willardiana</i> | T |
| Palo Brea | <i>Parkinsonia praecox (Cercidium praecox)</i> | T |
| Palo Chino | <i>Havardia mexicana (Pithecellobium mexicanum)</i> | T |
| Palo Verde | <i>Parkinsonia spp. (Cerdidium spp.)</i> | T |
| Paperflower | <i>Psilostrophe tagetina</i> | P |
| Paperflower | <i>Psilostrophe cooperi</i> | P |
| Parish's Golden Eye | <i>Bahiopsis parishii</i> | Sh |
| Parry's Agave | <i>Agave parryi</i> | C/S/Ac |
| Parry's Penstemon | <i>Penstemon parryi</i> | P |
| Partridge Breast Aloe | <i>Aloe variegata</i> | C/S/Ac |
| Passion vine | <i>Passiflora foetida</i> | V |
| Penstemon | <i>Penstemon spp.</i> | P |
| Peruvian Verbena | <i>Glandularia peruviana (Verbena peruviana)</i> | Gc |
| Pineapple Guava | <i>Feijoa sellowiana</i> | Sh |
| Pineapple Weed | <i>Matricaria grandiflora</i> | An |
| Pine-leaf Milkweed | <i>Asclepias linaria</i> | Sh |
| Pink Everlasting | <i>Helipterum roseum</i> | An |
| Pink Fairy Duster | <i>Calliandra eriophylla</i> | Sh |
| Pink Muhly | <i>Muhlenbergia capillaris</i> | Gr |
| Pink Trumpet Vine | <i>Podranea ricasoliana</i> | V |
| Pistachio | <i>Pistacia spp.</i> | T |
| Pomegranate | <i>Punica granatum</i> | Sh |
| Poplar-leaf Eucalyptus | <i>Eucalyptus populnea</i> | T |
| Potato Vine | <i>Solanum jasminoides</i> | V |
| Prairie Flameleaf Sumac | <i>Rhus lanceolata</i> | T |
| Prairie Zinnia | <i>Zinnia grandiflora</i> | |
| Prickly Poppy | <i>Argemone munita</i> | P |
| Prickly Poppy | <i>Argemone platyceras</i> | P |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|---------------------------|--|------------|
| Prickly Stars | <i>Eriastrum diffusum</i> | An |
| Prickly-poppy | <i>Argemone pleiacantha</i> | An |
| Primrose Jasmine | <i>Jasminum mesnyi</i> | Sh, V |
| Purple Aster | <i>Machaeranthera asteroides (Psilactis leptos)</i> | An |
| Purple Coral Pea | <i> Hardenbergia comptoniana</i> | V |
| Purple Fountain Grass | <i>Pennisetum setaceum cv. 'Cupreum'</i> | Gr |
| Purple Mascagnia | <i>Mascagnia lilacina</i> | V |
| Purple Mat | <i>Nama demissum</i> | An |
| Purple Mat | <i>Nama hispidum</i> | An |
| Purple Muhly | <i>Muhlenbergia rigida</i> | Gr |
| Purple Prickly Pear | <i>Opuntia violacea</i> | C/S/Ac |
| Purple Prickly Pear | <i>Opuntia santa-rita</i> | C/S/Ac |
| Purple Rocket | <i>Sisymbrium ambiguum</i> | An |
| Purple Ruellia | <i>Ruellia brittoniana</i> | Sh |
| Purple Sage | <i>Salvia leucophylla</i> | Sh |
| Purple Three-awn | <i>Aristida purpurea</i> | Gr |
| Pyracantha | <i>Pyracantha spp.</i> | |
| Quail Bush | <i>Atriplex lentiformis</i> | Sh |
| Queen's Wreath | <i>Antigonon leptopus</i> | V |
| Rabbit Brush | <i>Chrysothamnus nauseosus</i> | Sh |
| Rain Lily | <i>Zephyranthes spp.</i> | P |
| Rain Lily | <i>Zephyranthes grandiflora</i> | P |
| Rain Lily | <i>Zephyranthes candida</i> | P |
| Raspberry Fuzzies | <i>Acalypha monostachya.</i> | Gc |
| Ratany | <i>Krameria parvifolia</i> | Sh |
| Red Barberry | <i>Berberis haematocarpa</i> | Sh |
| Red Bird of Paradise | <i>Caesalpinia pulcherrima</i> | Sh |
| Red Eremophila | <i>Eremophila maculata</i> | |
| Red Fairy Duster | <i>Calliandra californica</i> | Sh |
| Red Flax | <i>Linum grandiflorum cv. 'Rubrum'</i> | An |
| Red Flax | <i>Linum grandiflora</i> | An |
| Red Hesperaloe, Red Yucca | <i>Hesperaloe parviflora</i> | C/S/Ac |
| Red Justicia | <i>Justicia candicans</i> | Sh |
| Red Mint | <i>Stachys coccinea</i> | P |
| Red Spike Ice Plant | <i>Cephalophyllum alstonii 'Red Spike'</i> | C/S/Ac, Gc |
| Red-cap Gum | <i>Eucalyptus erythrocorys</i> | T |
| River She Oak | <i>Casuarina cunninghamiana</i> | T |
| Rock Daisy | <i>Perityle emoryi</i> | An |
| Rock Penstemon | <i>Penstemon baccharifolius</i> | P |
| Rockrose | <i>Cistus spp.</i> | Sh |
| Rockrose | <i>Cistus incanus (Cistus villosus)</i> | Sh |
| Rocky Mountain Zinnia | <i>Zinnia grandiflora</i> | P |
| Rosary Bead Vine | <i>Rhynchosia texana</i> | V |
| Rosewood | <i>Vauquelinia spp.</i> | Sh |
| Rough Zexmenia | <i>Wedelia texana (W. hispida, Zexmenia hispida)</i> | Sh |
| Royal Agave | <i>Agave victoriae-reginae</i> | C/S/Ac |
| Royal Penstemon | <i>Penstemon spectabilis</i> | P |
| Ruellia | <i>Ruellia spp.</i> | Sh, Gc |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|--------------------------------|---|------------|
| Russian Sage | <i>Perovskia atriplicifolia</i> cv. 'Heavenly Blue' | Sh |
| Sacred Datura | <i>Datura metolooides</i> (<i>D. wrightii</i> , <i>D. inoxia</i>) | P |
| Sage | <i>Salvia spp.</i> | An, P, Sh |
| Sagebrush | <i>Artemisia spp.</i> | Sh |
| Sago Palm | <i>Cycas revoluta</i> | C/S/Ac, Sh |
| Saguaro | <i>Carnegiea gigantea</i> | C/S/Ac |
| Salt Resistant Bottlebrush | <i>Callistemon phoeniceus</i> | Sh |
| Saltbush | <i>Atriplex spp.</i> | Sh, Gc |
| Saltillo Primrose | <i>Oenothera stubbei</i> | Gc |
| San Marcos Hibiscus | <i>Gossypium harknessii</i> | Sh |
| Sand Dropseed | <i>Sporobolus cryptandrus</i> | Gr |
| Sandpaper Verbena | <i>Glandularia rigida</i> (<i>Verbena rigida</i>) | Gc |
| Sand-verbena | <i>Abronia villosa</i> | An |
| Santa Barbara Daisy | <i>Erigeron karvinskianus</i> | P |
| Santa Rita Acacia | <i>Acacia millefolia</i> | Sh |
| Scarlet Penstemon | <i>Penstemon barbatus</i> | P |
| Scorpion Weed | <i>Phacelia spp.</i> | An |
| Scorpion Weed | <i>Phacelia tanacetifolia</i> | An |
| Screwbean Mesquite | <i>Prosopis pubescens</i> | T |
| Sea Purslane | <i>Sesuvium verrucosum</i> | Gc |
| Senita | <i>Lophocereus schottii</i> | C/S/Ac |
| Senna | <i>Senna spp.</i> (<i>Cassia</i>) | P |
| Shirley Poppy | <i>Papaver rhoeas</i> | An |
| Shoestring Acacia | <i>Acacia stenophylla</i> | T |
| Showy Blue Gilia | <i>Gilia leptantha</i> | An |
| Shrub Live Oak | <i>Quercus turbinella</i> | T |
| Shrubby Cassia | <i>Senna wislizenii</i> (<i>Cassi wislizenii</i>) | Sh |
| Shrubby Senna | <i>Senna wislizenii</i> (<i>Cassi wislizenii</i>) | Sh |
| Sideoats Grama | <i>Bouteloua curtipendula</i> | Gr |
| Sierra Madre Sage | <i>Leucophyllum langmaniae</i> | Sh |
| Silk Floss Tree | <i>Ceiba speciosa</i> | T |
| Silver Dalea | <i>Dalea bicolor</i> var. <i>argyraea</i> | Sh |
| Silver sage cv or silver cloud | <i>Leucophyllum candidum</i> | Sh |
| Silverbush | <i>Convolvulus cneorum</i> | Gc, Sh |
| Silver-leaf Cassia | <i>Senna phyllodinea</i> (<i>Cassia phyllodinea</i>) | Sh |
| Sissoo Tree | <i>Dalbergia sissoo</i> | T |
| Six-weeks Grama | <i>Bouteloua aristidoides</i> | Gr |
| Skeleton-leaf Goldeneye | <i>Viguiera stenoloba</i> | Sh |
| Skunkbush | <i>Rhus trilobata</i> | Sh |
| Slender Janusia | <i>Janusia gracilis</i> | V |
| Slipper Flower | <i>Pedilanthus macrocarpus</i> | C/S/Ac |
| Smoketree | <i>Dalea spp.</i> | |
| Smooth Agave | <i>Agave desmettiana</i> | C/S/Ac |
| Snakeweed | <i>Gutierrezia sarothrae</i> | Sh |
| Snapdragon Vine | <i>Maurandya antirrhiniflora</i> | V |
| Snapdragon Vine | <i>Maurandya wislizeni</i> | V |
| Soaptree Yucca | <i>Yucca elata</i> | C/S/Ac |
| Solanum | <i>Solanum xanti</i> | An, Sh |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|--|--|------------|
| Sonoran Justicia | <i>Justicia sonorae</i> | P |
| Sonoran palo verde | <i>Parkinsonia praecox (Cercidium praecox)</i> | T |
| Sophora | <i>Sophora formosa</i> | Sh |
| Sotol | <i>Dasyliion wheeleri</i> | C/S/Ac |
| Southern live oak | <i>Quercus virginiana</i> | T |
| Southwest Coralbean | <i>Erythrina flabelliformis</i> | Sh |
| Southwestern Cosmos | <i>Cosmos bipinnatus</i> | An |
| Southwestern Cosmos | <i>Cosmos parviflorus</i> | An |
| Spanish Bayonet | <i>Yucca aloifolia</i> | C/S/Ac |
| Spanish Broom | <i>Genista hispanica</i> | Sh |
| Spotted Emu Bush | <i>Eremophila glabra</i> | Sh |
| Spreading Fleabane | <i>Erigeron divergens</i> | An, P |
| Sprenger Asparagus | <i>Asparagus densiflorus cv. 'Sprenger'i'</i> | Gc |
| Spruce Cones | <i>Tephrocactus articulatus</i> | C/S/Ac |
| St. John's Bread Tree, | <i>Ceratonia siliqua</i> | |
| Sturt's Desert Pea | <i>Clianthus formosus</i> | Gc |
| Sugarbush | <i>Rhus ovata</i> | Sh |
| Sundrops | <i>Calylophus hartwegii v. fendleri</i> | Gc |
| Superb Penstemon | <i>Penstemon superbus</i> | P |
| Superstition Mallow | <i>Abutilon palmeri</i> | Sh |
| Sweet Acacia | <i>Acacia farnesiana (Acacia smallii, A. minuta)</i> | T |
| Sweet Bush | <i>Bebbia juncea</i> | Sh |
| Sweet-stem | <i>Aloysia macrostachya</i> | Sh |
| Tacoma | <i>Tecoma spp.</i> | Sh |
| Tahoka Daisy | <i>Machaeranthera tanacetifolia (Aster)</i> | An |
| Teddy Bear Cholla | <i>Opuntia bigelovii</i> | C/S/Ac |
| Tenaza | <i>Havardia pallens (Pithecellobium pallens)</i> | T |
| Texas Ebony | <i>Ebenopsis ebano (Pithecellobium flexicaule)</i> | T |
| Texas Honey Mesquite | <i>Prosopis glandulosa</i> | T |
| Texas Mountain Laurel | <i>Sophora secundiflora</i> | |
| Texas Olive | <i>Cordia boissieri</i> | Sh |
| Texas Ranger | <i>Leucophyllum spp.</i> | Sh |
| Texas Red Oak | <i>Quercus buckleyi</i> | T |
| Texas Redbud | <i>Cercis canadensis var. texensis</i> | T |
| Texas Sage | <i>Leucophyllum spp.</i> | Sh |
| Texas Sage, cv. Green Cloud, White Cloud or compacta | <i>Leucophyllum frutescens</i> | Sh |
| Thistle | <i>Cirsium neomexicanum</i> | An |
| Tidy Tips | <i>Layia platyglossa</i> | An |
| Tiger Aloe | <i>Aloe saponaria</i> | C/S/Ac |
| Tipu Tree | <i>Tipuana tipu</i> | T |
| Toadflax | <i>Linaria spp.</i> | An |
| Toadflax | <i>Linaria pinnifolia</i> | An |
| Toadflax | <i>Linaria texana</i> | An |
| Toadflax | <i>Linaria maroccana</i> | An |
| Totem Pole | <i>Lophocereus schottii</i> | C/S/Ac |
| Trailing Acacia cv. 'Desert Carpet' | <i>Acacia redolens</i> | Gc |
| Trailing Dalea | <i>Dalea greggii</i> | Gc |
| Trailing Desert Broom | <i>Baccharis hybrid</i> | Gc |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|-------------------------------|---|------------|
| Trailing Gazania | <i>Gazania rigens</i> | Gc |
| Trailing Lantana | <i>Lantana spp.</i> | Gc |
| Trailing Lantana | <i>Lantana montevidensis</i> | Gc |
| Trailing or Prostate Rosemary | <i>Rosmarinus officinalis</i> | Gc |
| Trailing Windmills | <i>Allionia incarnata</i> | P |
| Tree Aloe | <i>Aloe ferox</i> | C/S/Ac |
| Tree Bear Grass | <i>Nolina matapensis</i> | C/S/Ac |
| Triangleleaf Bursage | <i>Ambrosia deltoidea</i> | Sh |
| Trixis | <i>Trixis californica</i> | Sh |
| Tufted Evening Primrose | <i>Oenothera caespitosa</i> | Gc, P |
| Turpentine Broom | <i>Thamnosma montana</i> | Sh |
| Turpentine Bush | <i>Ericameria laricifolia</i> | Sh |
| Turpentine Bush, | <i>Ericameria linearifolia</i> | |
| Twin Flower Cassia | <i>Senna pallida (Cassia biflora)</i> | Sh |
| Twin-flowered Agave | <i>Agave geminiflora</i> | C/S/Ac |
| Twisted Acacia | <i>Acacia schaffneri</i> | T |
| Ursinia | <i>Ursinia spp.</i> | An |
| Velvet Mesquite | <i>Prosopis velutina (Prosopis juliflora)</i> | T |
| Velvet Pod Mimosa | <i>Mimosa dysocarpa</i> | Sh |
| Verbena | <i>Glandularia bipinnatifida (Verbena bipinnatifida)</i> | Gc |
| Violet Silverleaf | <i>Leucophyllum candidum</i> | Sh |
| Virgin's Bower | <i>Clematis drummondii</i> | V |
| Wait-a-Minute Bush | <i>Mimosa biuncifera</i> | Sh |
| Wattle | <i>Acacia spp.</i> | |
| Wax Plant | <i>Euphorbia antisyphilitica</i> | C/S/Ac |
| Wax Plant | <i>Euphorbia antisyphilitica</i> | Sh |
| Weber's Agave | <i>Agave weberi</i> | C/S/Ac |
| Weeping Dalea | <i>Dalea versicolor</i> | Sh |
| Weeping Pittosporum | <i>Pittosporum angustifolium (Pittosporum phillyraeoides)</i> | T |
| Willow Pittosporum | <i>Pittosporum angustifolium (Pittosporum phillyraeoides)</i> | T |
| Westringia | <i>Westringia rosmariniformis</i> | Sh |
| White Bur-sage | <i>Ambrosia dumosa</i> | Sh |
| White Ironbark | <i>Eucalyptus leucoxylon</i> | T |
| White Plumbago | <i>Plumbago scandens</i> | Sh |
| White Sage | <i>Artemesia ludoviciana</i> | Sh |
| White Thorn Acacia | <i>Acacia constricta</i> | T, Sh |
| Wild Sunflower | <i>Helianthus annuus</i> | An |
| Willow Acacia | <i>Acacia salicina</i> | T |
| Wirewood | <i>Acacia coriacea</i> | T |
| Wislizenus Dalea | <i>Dalea versicolor var. sessilis</i> | Sh |
| Wolfberry | <i>Lycium spp.</i> | Sh |
| Wolfberry | <i>Lycium fremontii</i> | Sh |
| Woolly Butterfly Bush | <i>Buddleja marrubifolia</i> | Sh |
| Woolly Daisy | <i>Eriophyllum lanosum</i> | An |
| Woolly Daisy | <i>Eriophyllum wallacei</i> | An |
| Woolly Netbush | <i>Calothamnus villosus</i> | Sh |
| Xylosma | <i>Xylosma congestum</i> | T |
| Yellow Aster | <i>Machaeranthera gracilis</i> | P |
| Yellow Bird of Paradise | <i>Caesalpinia gilliesii</i> | Sh |

Phoenix Active Management Area Low-Water-Use/Drought-Tolerant Plant List

| COMMON NAME | BOTANICAL NAME | PLANT TYPE |
|---------------------------|--------------------------------------|------------|
| Yellow Blanket | <i>Lesquerella gordonii</i> | An |
| Yellow Bulbine | <i>Bulbine frutescens</i> | C/S/Ac |
| Bulbine | <i>Bulbine frutescens</i> | C/S/Ac |
| Yellow Cosmos | <i>Cosmos sulphureus</i> | An |
| Yellow Cups | <i>Camissonia brevipes</i> | An |
| Yellow Dot | <i>Wedelia trilobata</i> | Gc |
| Yellow Oleander | <i>Thevetia peruviana</i> | Sh |
| Yellow Orchid Vine | <i>Callaeum macropterum</i> | V |
| Yuca Vine | <i>Merremia aurea</i> | V |
| Yucca | <i>Yucca spp.</i> | C/S/Ac |
| Zephyr Flower | <i>Zephyranthes candida</i> | P |
| Zinnia 'Profusion' Series | <i>Zinnia angustifolia X elegans</i> | An |